

PRESTIGE

Line

Evolution
Life



Wood & Pellet Products

2025
POCKET EN

NORDICA[®]
Extraflame

Warms up your life.



WARMS UP YOUR LIFE, FOR OVER 50 YEARS



DESIGN AND QUALITY, 100% MADE IN ITALY



CLEAN ENERGY, RESPECTING THE PLANET



A REAL SAVING ON THE BILLS



TESTED AND CERTIFIED PRODUCTS



FIND A DEALER, VISIT OUR WEBSITE:
www.lanordica-extraflame.com

NORDICA INDEX

PELLET STOVES.....	4
PELLET FIREPLACES.....	24
PELLET BOILERS.....	26
WOOD STOVES.....	30
WOOD STOVES & WOOD-BURNING COOKER.....	42
WOOD FIREPLACES	51
LE CUCINOTTE	56
MAKING THE RIGHT CHOICE.....	58
PELLET PRODUCTS.....	59
WOOD-BURNING PRODUCTS.....	62
CERTIFICATES.....	65
LEGEND.....	66

Traditional Line

The solidity of the materials, the harmony of the lines, and the safety in use are the fundamental characteristics of La Nordica-Extraflame products.



PELLET PRODUCTS

Pellet stoves

LUISELLA 5.0
LUISELLA 5.0 MAXI
KETTY 5.0
MARIELLA
MARIELLA PLUS
GIUSY EVO 2.0
GIUSY PLUS EVO 2.0
AMIKA
KLAUDIA 5.0
KLAUDIA PLUS 5.0
MARILENA PLUS 5.0
MARILENA PLUS AD CRYSTAL
MARILENA PLUS PETRA AD
TEODORA EVO
ANNABELLA AD EVO
DAHIANA VFS
DAHIANA PLUS VFS
SOUVENIR PLUS STEEL 5.0
SOUVENIR PLUS LUX 5.0
SOUVENIR PLUS PETRA 5.0
TEOREMA
TEOREMA PLUS 5.0
LUCIA
LUCIA PLUS

Heating stoves

VIRNA IDRO
MARINA IDRO H11
COSTANZA IDRO 5.0
MARINA IDRO H13
RAFFAELLA IDRO H15 5.0
ISIDE IDRO 5.0
RAFFAELLA IDRO H18 5.0

Pellet fireplaces

COMFORT P70 H49 5.0
COMFORT P70 AIR
COMFORT P70 AIR PLUS
COMFORT P85
COMFORT P85 PLUS
COMFORT IDRO L80

Pellet boilers

PK15
PK20
PK30

WOOD-BURNING PRODUCTS

Wood stoves

BRIGITTA GB
SUPER JUNIOR
ASIA BII
CANDY 4.0
GIULIETTA X 4.0
EMILIANA
EMILIANA - STEEL
TEA 5.0
GEMMA
GEMMA FORNO 5.0
ISETTA CON CERCHI.16
ISETTA.16
MARLENA 5.0
ESTER BII
ESTER FORNO EVO
JENNIFER 2.0
FEDORA
FEDORA - STEEL
ROSSELLA R1 5.0
ROSSELLA PLUS FORNO 5.0
ISOTTA FORNO EVO
CONCITA 2.0
CONCITA 2.0 - STEEL
ISOTTA CON CERCHI.16
ISOTTA.16

Heating stoves

TERMOROSSELLA PLUS EVO DSA 4.0
TERMOROSSELLA PLUS FORNO DSA 4.0
TERMOISOTTA DSA
LORIE T S DSA

Heating cookers

VICENZA EVO
VERONA XXL
VERONA XXL MAIOLICA
VERONA XXL PETRA
FAMILY 4,5
SOVRANA EASY EVO 2.0
ROSETTA 5.0
ROSETTA 5.0 - MAIOLICA
ROSETTA SINISTRA 5.0
ROSETTA SINISTRA 5.0 - STEEL
ROSA REVERSE 2.0
ROSA SINISTRA REVERSE
VENEZIA
ROSA 5.0 - CERAMICA

ROSA 5.0 - MAIOLICA
ROSA 5.0 - PETRA
ROSA 5.0 - STEEL
SUPREMA 4.0
ROSA L 5.0 - STEEL
ROSA XXL 5.0 - STEEL
ROSA XXL 5.0 - MAIOLICA
ROSA XXL 5.0 - PETRA

Wood-burning cooker

TERMOSOVRAANA DSA
TERMOROSA DSA
TERMOROSA XXL DSA
TERMO SUPREMA COMPACT DSA

Wood fireplace

INSERTO 60 4.0
INSERTO 70 H49 4.0
INSERTO 80 CRYSTAL EVO 2.0
INSERTO 70 WIDE
INSERTO 70 4.0
INSERTO 100 WIDE.16
INSERTO 70 PRS WIDE
INSERTO 70 EOS
INSERTO 70 LEAN
INSERTO 80 WIDE 5.0

Monoblocks

MONOBLOCCO 800 ANGOLO SX

Closed fireplaces

TERMOCAMINO WF PLUS DSA

PRESTIGE

Line

THE NEW PRODUCT LINE DEDICATED ONLY TO SPECIALISED RETAILERS



PELLET PRODUCTS

Pellet stoves

PEGGY
LINA TOP
SABRY 5.0
MOIRA EVO
ANGY TOP

ANGELICA

ANGELICA PLUS

ANGELA EVO
ANGELA PLUS EVO
ILARY TOP
ILARY PLUS TOP
MIRKA
MIRKA PLUS
PAMELA CRYSTAL - BLSC
PAMELA STEEL
GABRIELLA PLUS
DEBBY
DEBBY PLUS EVO
SHARON PLUS
SHARON PLUS STEEL
ROSANNA IDRO

WOOD-BURNING PRODUCTS

Wood stoves

LIÙ 5.0
LIÙ 5.0 PETRA
TAHITI
NOVA FORNO
NOVA FORNO STEEL
LAVINIA EOS
DANTE 5.0
DANTE 5.0 CON PORTALEGNA
SIERRA

Wood cooker

MILLY
GARDENIA 5.0
GARDENIA XXL
ALASKA

Wood fireplace

MONOBLOCCO 3LC.16
MONOBLOCCO 90PA 2.0



Evolution
Life

THE TOP-OF-THE-LINE PRODUCTION OF THE
LA NORDICA-EXTRAFLAME GROUP FOR THE
BEST RETAILERS.
DESIGN, TECHNOLOGY AND PERFORMANCE.



PELLET PRODUCTS

Pellet stoves

KATIA 9
MIETTA EVO
KATIA 11
SINFONY
ANNALISA PLUS
NORIS
NORIS PLUS
NORIS LUX
NORIS PLUS LUX
TERRY PLUS
MARGARET
GUENDA IDRO 5.0
EVELYNE IDRO 2.0
ISIDORA IDRO H16
ISIDORA IDRO H20 5.0
ISIDORA IDRO H23 5.0

Pellet boilers

PR20
PR30

WOOD-BURNING PRODUCTS

Wood stoves

LARISSA

THE PELLET

With this collection, Extraflame,
market leader in the pellet sector,
sought to express the best
in design and technology,
with a wide range of products to heat,
in the well-being of a natural climate,
the spaces of your home.

Extraflame is the ideal choice
for those who want to combine
functionality, ecology,
comfort and above all...

100% Made in Italy quality.

PELLET STOVES

PEGGY

(Air-tight)

A+



Peggy with "Classic" pedestal (optional)

Anthracite black

kW-N (min-max) 2,5 - 5,1
% (min-max) 93,2 - 90,9
m³ 146
kg/h (min-max) 0,5 - 1,2
Dim. (WxHxD) 500x620x570
kg 91
Ø mm 80 B
W (min-max) 21 - 49
kg/ℓ ~10 kg / ~16 ℓ

PRESTIGE



PEGGY
WITH 'CLASSIC'
PEDESTAL
545x720x570



PEGGY
WITH 'STYLE'
PEDESTAL
514x720x570

LUISELLA 5.0 MAXI (Slim)

(Air-tight)

A+



New 2025

Grigio Grafite

kW-N (min-max) 2,5 - 7,0 **
% (min-max) 94 - 92 **
m³ 201 **
kg/h (min-max) 0,6 - 1,6
Dim. (WxHxD) 639x892x290 **
kg 99 **
Ø mm 80 mm B/T/RH side **
W (min-max) 36 - 66 **
kg/ℓ ~10 kg / ~16 ℓ **



Black

** Technical data may be subject to changes, approval pending

LUISELLA 5.0 (Slim)

A+



Black

kW-N (min-max) 2,5 - 5,1
% (min-max) 92,4 - 92,4
m³ 146
kg/h (min-max) 0,5 - 1,1
Dim. (WxHxD) 572x892x307
kg 64
Ø mm 80 B/T
W (min-max) 28 - 48
kg/ℓ ~10 kg / ~16 ℓ

New 2025



Bordeaux



Grigio Grafite

KETTY 5.0

A+



White

kW-N (min-max) 2,5 - 6,5
% (min-max) 91 - 92
m³ 186
kg/h (min-max) 0,6 - 1,4
Dim. (WxHxD) 456x884x479
kg 77
Ø mm 80 B
W (min-max) 35 - 75
kg/ℓ ~15 kg / ~24 ℓ

New 2025



Bordeaux



Black



Ivory

PELLET STOVES

LINA TOP

(Air-tight)

A+



Black

kW-N (min-max) 2,5 - 7,0
% (min-max) 94,3 - 91,3
m³ 201
kg/h (min-max) 0,6 - 1,5
Dim. (WxHxD) 478x914x522
kg 90
Ø mm 80 B/T
W (min-max) 26 - 62
kg/ℓ ~11 kg / ~18 ℓ

PRESTIGE

SABRY 5.0

A+



Ivory

kW-N (min-max) 2,8 - 7,0
% (min-max) 94,5 - 90,8
m³ 201
kg/h (min-max) 0,6 - 1,6
Dim. (WxHxD) 456x924x555
kg 87
Ø mm 80 B
W (min-max) 27 - 60
kg/ℓ ~15 kg / ~24 ℓ

PRESTIGE



Bronze

Black

MOIRA EVO

(Air-tight)

A+



White

kW-N (min-max) 2,5 - 7,0
% (min-max) 94,3 - 91,3
m³ 201
kg/h (min-max) 0,6 - 1,5
Dim. (WxHxD) 463x893x528
kg 84
Ø mm 80 B
W (min-max) 30 - 60
kg/ℓ ~11 kg / ~18 ℓ

PRESTIGE



Black

ANGY TOP

(Air-tight)

A+



Black

kW-N (min-max) 2,5 - 7,0
% (min-max) 94,3 - 91,3
m³ 201
kg/h (min-max) 0,6 - 1,5
Dim. (WxHxD) 506x897x525
kg 91
Ø mm 80 T
W (min-max) 26 - 62
kg/ℓ ~11 kg / ~18 ℓ

PRESTIGE



White

Bronze

PELLET STOVES

MARIELLA

A+

New 2025



Ivory

kW-N (min-max) 3,0 - 7,0
% (min-max) 90 - 92
m³ 201
kg/h (min-max) 0,7 - 1,6
Dim. (WxHxD) 495x1019x508
kg 98
Ø mm 80 B/T
W (min-max) 34 - 67
kg/ℓ ~15 kg / ~24 ℓ



Bordeaux



Black

MARIELLA PLUS

A+

(Ducting system)

New 2025



Black

kW-N (min-max) 3,0 - 7,5
% (min-max) 90 - 92
m³ 215
kg/h (min-max) 0,7 - 1,7
Dim. (WxHxD) 495x1019x508
kg 102
Ø mm 80 B/T
W (min-max) 50 - 95
kg/ℓ ~15 kg / ~24 ℓ



Ivory



Bordeaux

GIUSY EVO 2.0

A+



White

kW-N (min-max) 3,0 - 7,0
% (min-max) 90,0 - 91,0
m³ 201
kg/h (min-max) 0,7 - 1,6
Dim. (WxHxD) 498x1022x490
kg 92
Ø mm 80 B/T
W (min-max) 35 - 60
kg/ℓ ~15 kg / ~24 ℓ



Bordeaux



Black

GIUSY PLUS EVO 2.0

A+

(Ducting system)



White

kW-N (min-max) 3,0 - 7,5
% (min-max) 90,3 - 91,4
m³ 215
kg/h (min-max) 0,7 - 1,7
Dim. (WxHxD) 498x1022x490
kg 96
Ø mm 80 B/T
W (min-max) 55 - 90
kg/ℓ ~15 kg / ~24 ℓ



Bordeaux



Black

PELLET STOVES

ANGELICA

(Air-tight)

A+



Ivory

KW-N (min-max) 3,2 - 8,0 **
% (min-max) 92 - 91 **
m³ 230 **
kg/h (min-max) 0,7 - 1,8
Dim. (WxHxD) 495x1019x530 **
kg 98 **
Ø mm 80 B/T **
W (min-max) 28 - 57 **
kg/ℓ ~15 kg / ~24 ℓ **

PRESTIGE
Line



Bordeaux



Black

ANGELICA PLUS

(Air-tight, Ducting system)

A+



Black

KW-N (min-max) 3,2 - 8,0 **
% (min-max) 92 - 91 **
m³ 230 **
kg/h (min-max) 0,7 - 1,8
Dim. (WxHxD) 495x1019x530 **
kg 102 **
Ø mm 80 B/T **
W (min-max) 37 - 83 **
kg/ℓ ~15 kg / ~24 ℓ **

PRESTIGE
Line



Ivory



Bordeaux

ANGELA EVO

(Air-tight)

A+



White

KW-N (min-max) 2,5 - 8,0
% (min-max) 94,7 - 91,5
m³ 230
kg/h (min-max) 0,5 - 1,8
Dim. (WxHxD) 490x1007x528
kg 93
Ø mm 80 B
W (min-max) 25 - 60
kg/ℓ ~15 kg / ~24 ℓ

PRESTIGE
Line



Black

ANGELA PLUS EVO

(Air-tight, Ducting system)

A+



White

KW-N (min-max) 2,5 - 8,0
% (min-max) 94,9 - 91,9
m³ 230
kg/h (min-max) 0,5 - 1,8
Dim. (WxHxD) 490x1007x528
kg 98
Ø mm 80 B
W (min-max) 50 - 80
kg/ℓ ~15 kg / ~24 ℓ

PRESTIGE
Line



Black

** Technical data may be subject to changes, approval pending

PELLET STOVES

ILARYTOP

(Air-tight)

A+



White

kW-N (min-max) 2,5 - 8,0
% (min-max) 94,7 - 91,5
m³ 230
kg/h (min-max) 0,5 - 1,8
Dim. (WxHxD) 507x1007x522
kg 101
Ø mm 80 T
W (min-max) 25 - 60
kg/ℓ ~15 kg / ~24 ℓ

PRESTIGE
Line



Nero

ILARYPLUS TOP

(Air-tight, Ducting system)

A+



Black

kW-N (min-max) 2,5 - 8,0
% (min-max) 94,9 - 91,9
m³ 230
kg/h (min-max) 0,5 - 1,8
Dim. (WxHxD) 507x1007x536
kg 105
Ø mm 80 T
W (min-max) 45 - 75
kg/ℓ ~15 kg / ~24 ℓ

PRESTIGE
Line



White

MIRKA

A+



Natura Stone

kW-N (min-max) 3,2 - 8,0
% (min-max) 92,4 - 91,1
m³ 230
kg/h (min-max) 0,7 - 1,8
Dim. (WxHxD) 495x1014x585
kg 104 - 106 PT
Ø mm 80 B/T
W (min-max) 30 - 60
kg/ℓ ~15 kg / ~24 ℓ

PRESTIGE
Line



Nero



Taupe

MIRKA PLUS

(Ducting system)

A+



Black

kW-N (min-max) 3,2 - 8,0
% (min-max) 92,5 - 91,0
m³ 230
kg/h (min-max) 0,7 - 1,8
Dim. (WxHxD) 496x1014x585
kg 108 - 110 PT
Ø mm 80 B/T
W (min-max) 45 - 96
kg/ℓ ~15 kg / ~24 ℓ

PRESTIGE
Line



Taupe



Natural stone

PELLET STOVES

PAMELA CRYSTAL - BLSC

A+

(Air-tight)



kW-N (min-max) 2,5 - 8,0
% (min-max) 92,6 - 91,2
m³ 230
kg/h (min-max) 0,6 - 1,8
Dim. (WxHxD) 470x1197x470
kg 140
Ø mm 80 B
W (min-max) 28 - 67
kg/ℓ ~15 kg / ~24 ℓ

PRESTIGE
Line



Crystal BLSC

PAMELA STEEL

A+

(Air-tight)



kW-N (min-max) 2,5 - 8,0
% (min-max) 92,6 - 91,2
m³ 230
kg/h (min-max) 0,6 - 1,8
Dim. (WxHxD) 470x1197x470
kg 130
Ø mm 80 B
W (min-max) 28 - 67
kg/ℓ ~15 kg / ~24 ℓ

PRESTIGE
Line



Taupe

GABRIELLA PLUS (Slim)

A+

(Air-tight, Ducting system)



kW-N (min-max) 3,5 - 8,0
% (min-max) 94,1 - 94,0
m³ 230
kg/h (min-max) 0,8 - 1,8
Dim. (WxHxD) 750x1077x350
kg 132 - 157 PT
Ø mm 80 B/T
W (min-max) 50 - 90
kg/ℓ ~15 kg / ~24 ℓ

PRESTIGE
Line



White



Bronze

AMIKA

A+

(Air-tight)



kW-N (min-max) 2,5 - 8,0
% (min-max) 92,6 - 91,2
m³ 230
kg/h (min-max) 0,6 - 1,8
Dim. (WxHxD) 460x1200x465
kg 121 - 124 PT
Ø mm 80 B
W (min-max) 19 - 62
kg/ℓ ~15 kg / ~24 ℓ



Black



Natural stone

PELLET STOVES

KLAUDIA 5.0

A+



White

kW-N (min-max) 3,2 - 8,0
% (min-max) 92,4 - 91,1
m³ 230
kg/h (min-max) 0,7 - 1,8
Dim. (WxHxD) 498x1017x575
kg 101
Ø mm 80 B/T
W (min-max) 30 - 60
kg/ℓ ~15 kg / ~24 ℓ



Bordeaux

Black

KLAUDIA PLUS 5.0

A+

(Ducting system)



White

kW-N (min-max) 3,2 - 8,0
% (min-max) 92,5 - 91,0
m³ 230
kg/h (min-max) 0,7 - 1,8
Dim. (WxHxD) 498x1017x575
kg 105
Ø mm 80 B/T
W (min-max) 45 - 96
kg/ℓ ~15 kg / ~24 ℓ



Bordeaux

Black

MARILENA PLUS 5.0

A+

(Ducting system)



White

kW-N (min-max) 3,2 - 8,0
% (min-max) 92,5 - 91,4
m³ 230
kg/h (min-max) 0,7 - 1,8
Dim. (WxHxD) 750x1077x347
kg 119
Ø mm 80 B/T/LH side
W (min-max) 45 - 90
kg/ℓ ~15 kg / ~24 ℓ



Black

MARILENA PLUS AD CRYSTAL (Slim)

A+

(Ducting system)



White

kW-N (min-max) 3,7 - 8,0
% (min-max) 93,3 - 91,0
m³ 230
kg/h (min-max) 0,8 - 1,8
Dim. (WxHxD) 750x1077x352
kg 135
Ø mm 80 B/T/LH side
W (min-max) 36 - 85
kg/ℓ ~15 kg / ~24 ℓ



Fumé

PELLET STOVES

MARILENA PLUS PETRA AD (Slim)

A+

(Ducting system)



Natural Stone

kW-N (min-max)	3,7 - 8,0
% (min-max)	93,3 - 91,0
m³	230
kg/h (min-max)	0,8 - 1,8
Dim. (WxHxD)	750x1077x352
kg	155
Ø mm	80 B/T/RH side
W (min-max)	36 - 85
kg/ℓ	~15 kg / ~24 ℓ

TEODORA EVO

A+



Anthracite black

kW-N (min-max)	2,5 - 8,0
% (min-max)	94,0 - 90,8
m³	229
kg/h (min-max)	0,5 - 1,8
Dim. (WxHxD)	610x739x644
kg	139
Ø mm	80 B
W (min-max)	35 - 70
kg/ℓ	~14 kg / ~22 ℓ

KATIA 9

A+

(Air-tight)



Bronze

kW-N (min-max)	3,4 - 9,0
% (min-max)	93,9 - 93,1
m³	258
kg/h (min-max)	0,8 - 2,0
Dim. (WxHxD)	515x1082x572
kg	155
Ø mm	80 B
W (min-max)	26 - 43
kg/ℓ	~20 kg / ~32 ℓ

Evolution
life



White



Taupe

MIETTA EVO

A+

(Air-tight)



White

kW-N (min-max)	3,4 - 9,0
% (min-max)	93,9 - 93,1
m³	258
kg/h (min-max)	0,8 - 2,0
Dim. (WxHxD)	496x1073x579
kg	157
Ø mm	80 B
W (min-max)	26 - 43
kg/ℓ	~20 kg / ~32 ℓ

Evolution
life



Bordeaux

PELLET STOVES

DEBBY

(Air-tight)

A+



White

kW-N (min-max) 3,8 - 9,0
% (min-max) 92,2 - 92,7
m³ 258
kg/h (min-max) 0,9 - 2,0
Dim. (WxHxD) 550x1200x573
kg 141 - 167 PT
Ø mm 80 B/T
W (min-max) 24 - 62
kg/ℓ ~18 kg / ~29 ℓ

PRESTIGE



Black



Natural stone

DEBBY PLUS EVO

(Air-tight, Ducting system)

A+



Natural Stone

kW-N (min-max) 3,0 - 9,0
% (min-max) 94,0 - 93,0
m³ 258
kg/h (min-max) 0,7 - 2,0
Dim. (WxHxD) 550x1200x573
kg 137 - 163 PT
Ø mm 80 B/T
W (min-max) 45 - 92
kg/ℓ ~18 kg / ~29 ℓ

PRESTIGE



White



Black

ANNABELLA ADEVO (Slim)

(Ducting system)

A+



White

kW-N (min-max) 3,4 - 9,0
% (min-max) 93,5 - 91,9
m³ 258
kg/h (min-max) 0,8 - 2,0
Dim. (WxHxD) 703x1078x343
kg 132
Ø mm 80 B/T/RH side
W (min-max) 35 - 55
kg/ℓ ~14 kg / ~22 ℓ



Black



Taupe Matt

SHARON PLUS (Slim)

(Air-tight, Ducting system)

A+



Crystal

kW-N (min-max) 3,5 - 10,0
% (min-max) 91,7 - 91,0
m³ 287
kg/h (min-max) 0,8 - 2,3
Dim. (WxHxD) 900x1150x290
kg 155 - 167 PT
Ø mm 80 B/T
W (min-max) 30 - 50
kg/ℓ ~21 kg / ~33 ℓ

PRESTIGE



Natural stone

PELLET STOVES

SHARON PLUS STEEL (Slim)

A+

(Air-tight, Ducting system)



Black

kW-N (min-max)	3,5 - 10,0
% (min-max)	91,7 - 91,0
m³	287
kg/h (min-max)	0,8 - 2,3
Dim. (WxHxD)	900x1150x290
kg	155
Ø mm	80 B/T
W (min-max)	30 - 50
kg/ℓ	~21 kg / ~33 ℓ

PRESTIGE

DAHIANA VFS

A+



Bordeaux

kW-N (min-max)	3,0 - 10,0
% (min-max)	90,2 - 91,0
m³	287
kg/h (min-max)	0,7 - 2,3
Dim. (WxHxD)	525x1080x602
kg	157
Ø mm	80 B
W (min-max)	20 - 90
kg/ℓ	~30 kg / ~48 ℓ



Ivory

Bronze

Black

DAHIANA PLUS VFS

A+

(Ducting system)



Bordeaux

kW-N (min-max)	3,0 - 10,0
% (min-max)	89,6 - 91,6
m³	287
kg/h (min-max)	0,7 - 2,3
Dim. (WxHxD)	525x1080x602
kg	160
Ø mm	80 B
W (min-max)	35 - 130
kg/ℓ	~30 kg / ~48 ℓ



Ivory

Bronze

Black

TEOREMA

A+



Ivory

kW-N (min-max)	3,0 - 10,0
% (min-max)	90,2 - 91,0
m³	287
kg/h (min-max)	0,7 - 2,3
Dim. (WxHxD)	525x1080x652
kg	165
Ø mm	80 B/T
W (min-max)	20 - 105
kg/ℓ	~30 kg / ~48 ℓ



Bordeaux

Black

PELLET STOVES

TEOREMA PLUS 5.0

A+

(Ducting system)



Ivory

kW-N (min-max) 3,8 - 12,0
% (min-max) 94,7 - 92,4
m³ 344
kg/h (min-max) 0,8 - 2,7
Dim. (WxHxD) 525x1080x652
kg 172
Ø mm 80 B/T
W (min-max) 65 - 125
kg/ℓ ~27 kg / ~43 ℓ



Bordeaux

Black

• Double ducted

SOUVENIR PLUS STEEL 5.0 (Slim)

A+

(Ducting system)



Bordeaux

kW-N (min-max) 3,3 - 10,0
% (min-max) 94,0 - 92,5
m³ 287
kg/h (min-max) 0,7 - 2,2
Dim. (WxHxD) 821x1124x343
kg 141
Ø mm 80 B/T/RH side
W (min-max) 37 - 65
kg/ℓ ~19 kg / ~30 ℓ



White

Black

SOUVENIR PLUS LUX 5.0 (Slim)

A+

(Ducting system)



White

kW-N (min-max) 3,3 - 10,0
% (min-max) 94,0 - 92,5
m³ 287
kg/h (min-max) 0,7 - 2,2
Dim. (WxHxD) 822x1162x343
kg 149
Ø mm 80 B/T/RH side
W (min-max) 37 - 65
kg/ℓ ~19 kg / ~30 ℓ



Bordeaux *

Taupe

SOUVENIR PLUS PETRA 5.0 (Slim)

A+

(Ducting system)



Natural Stone

kW-N (min-max) 3,3 - 10,0
% (min-max) 94,0 - 92,5
m³ 287
kg/h (min-max) 0,7 - 2,2
Dim. (WxHxD) 821x1124x343
kg 156
Ø mm 80 B/T/RH side
W (min-max) 37 - 65
kg/ℓ ~19 kg / ~30 ℓ

* While stocks last

PELLET STOVES

KATIA 11

(Air-tight)

A+



Taupe

KW-N (min-max) 3,4 - 11,0
% (min-max) 93,9 - 91,4
m³ 315
kg/h (min-max) 0,8 - 2,5
Dim. (WxHxD) 515x1082x572
kg 165
Ø mm 80 B
W (min-max) 26 - 45
kg/ℓ ~20 kg / ~32 ℓ

Evolution
Life



White



Bronze

SINFONY

(Air-tight)

A+



White

KW-N (min-max) 3,4 - 11,0
% (min-max) 93,9 - 91,4
m³ 316
kg/h (min-max) 0,8 - 2,5
Dim. (WxHxD) 480x1140x560
kg 173
Ø mm 80 B
W (min-max) 25 - 45
kg/ℓ ~22 kg / ~35 ℓ

Evolution
Life



Bright Taupe

ANNALISA PLUS

(Air-tight, Ducting system)

A+



Gres Ostuni

KW-N (min-max) 3,6 - 12,0
% (min-max) 91,3 - 91,1
m³ 344
kg/h (min-max) 0,8 - 2,7
Dim. (WxHxD) 902x1150x436
kg 185
Ø mm 80 B/T/RH side
W (min-max) 32 - 52
kg/ℓ ~24 kg / ~38 ℓ

Evolution
Life



Crystal

• Double ducted

NORIS

(Air-tight)

A+



Taupe Matt

KW-N (min-max) 3,6 - 12,0
% (min-max) 93,0 - 91,4
m³ 344
kg/h (min-max) 0,8 - 2,7
Dim. (WxHxD) 576x1174x642
kg 188
Ø mm 80 B
W (min-max) 45 - 58
kg/ℓ ~29 kg / ~46 ℓ

Evolution
Life



White



Bronze

PELLET STOVES

NORIS PLUS

(Air-tight, Ducting system)

A+



kW-N (min-max) 3,6 - 12,0
% (min-max) 93,4 - 91,8
m³ 344
kg/h (min-max) 0,8 - 2,7
Dim. (WxHxD) 576x1174x642
kg 195
Ø mm 80 B
W (min-max) 60 - 105
kg/ℓ ~29 kg / ~46 ℓ

Evolution
Life



Bronze Taupe Matt

• Double ducted

NORIS LUX

(Air-tight)

A+



kW-N (min-max) 3,6 - 12,0
% (min-max) 93,4 - 91,4
m³ 344
kg/h (min-max) 0,8 - 2,7
Dim. (WxHxD) 576x1174x642
kg 201
Ø mm 80 B
W (min-max) 45 - 58
kg/ℓ ~29 kg / ~46 ℓ

Evolution
Life



Taupe

NORIS PLUS LUX

(Air-tight, Ducting system)

A+



kW-N (min-max) 3,6 - 12,0
% (min-max) 93,4 - 91,8
m³ 344
kg/h (min-max) 0,8 - 2,7
Dim. (WxHxD) 576x1174x642
kg 208
Ø mm 80 B
W (min-max) 60 - 105
kg/ℓ ~29 kg / ~46 ℓ

Evolution
Life



White

• Double ducted

LUCIA

A+



kW-N (min-max) 3,6 - 12,1
% (min-max) 92,8 - 92,5
m³ 347
kg/h (min-max) 0,8 - 2,7
Dim. (WxHxD) 556x1097x597
kg 181 kg
Ø mm 80 B
W (min-max) 23 - 87
kg/ℓ ~27 kg / ~43 ℓ



Bordeaux



Taupe

PELLET STOVES

LUCIA PLUS

(Ducting system)

A+



White

kW-N (min-max) 3,6 - 12,0
% (min-max) 91,7 - 91,6
m³ 344
kg/h (min-max) 0,8 - 2,7
Dim. (WxHxD) 556x1097x597
kg 186
Ø mm 80 B
W (min-max) 50 - 142
kg/ℓ ~27 kg / ~43 ℓ



Bordeaux

Taupe

• Double ducted

TERRY PLUS

(Air-tight, Ducting system)

A+



White

kW-N (min-max) 3,5 - 12,1
% (min-max) 92,0 - 94,0
m³ 347
kg/h (min-max) 0,8 - 2,7
Dim. (WxHxD) 569x1151x598
kg 206
Ø mm 80 B
W (min-max) 50 - 96
kg/ℓ ~29 kg / ~46 ℓ

Evolution
Life



Bordeaux

Bright Taupe

• Double ducted



Ventilated pellet thermo-stove - mod. MARIELLA

PELLET STOVES

HYBRID STOVES

Freedom of choice and cutting-edge technology are merged in Margaret, the combined wood/pellet stove that redefines the way of heating: customised combustion and smart regulation of each detail.



AIR-TIGHT

SAFE: Air-tight combustion chamber and tank: technology and innovation at the service of your safety

>> THE LATEST GENERATION IGNITION SYSTEM

FAST: For immediate warmth in your home, always and everywhere

EXCLUDABLE FORCED VENTILATION

SILENT: silence, without sacrificing efficiency

HOME CONTROL SOLUTION

INNOVATIVE: Always in contact with your stove, even when you are away from home

SELF-CLEANING BRAZIER

CONVENIENT: your stove cleans itself

MARGARET Airtight combined pellet/wood stove

A+

(Air-tight)

Evolution
Life



Gres Corten

	PELLET	WOOD
kW-N (min-max)	3,0 - 10,0	6,0 - 10,1
% (min-max)	82,0 - 90,0	88,0 - 89,0
m³	287	287
kg/h (min-max)	0,8 - 2,3	1,6 - 2,6
Dim. (WxHxD)	890x1157x626	
kg	270 - 280 PT	
Ø mm	120 B/T	
W (min-max)	21 - 62	24 - 36
kg/ℓ	~30 kg / ~49 ℓ	
wood lung. max		33 cm



Gres Ostuni




Natural stone (PT)

- Painted sheet metal top
- Cast iron fire door with screen-printed ceramic glass
- Hearth with cast iron base and Nordiker sides (large view of fire)
- Removable ash drawer
- Ventilation with excludable PRO AIR SETUP
- Self-cleaning brazier with Brushless motor
- Ash compartment for wood
- Airtight stove
- FPC Plus function
- 'Total Control 3.0' app with Alexa and remote assistance functions
- Easy Setup
- Easy Control
- Weekly chronothermostat
- Primary/secondary air management via motor-controlled valve with automatic return (in the event of power failure)
- Brushless pellet loading motor
- Pellet level sensor
- Combustion chamber probe
- Ceramics glow plug
- Micro control on door
- Control pressure switches
- AIR ZONE CONTROL with excludable ducting (if optionally purchased)

PELLET THERMOSTOVES

PELLET THERMOSTOVES

THE BEAUTY OF THE FIRE,
THE POWER OF A BOILER



VIRNA IDRO

(Air-tight)

A+



White

kW-N (min-max)	4,3 - 14,5
kW-H₂O (min-max)	3,7 - 12,3
% (min-max)	95,2 - 93,0
m³	415
kg/h (min-max)	0,9 - 3,2
Dim. (WxHxD)	793x1105x384
kg	151
Ø mm	100 B/T/RH side
W (min-max)	65 - 80
kg/ℓ	~22 kg / ~35 ℓ
bar	2,5



Bordeaux



Taupe Matt

ROSANNA IDRO

(Air-tight)

A+



Bordeaux

kW-N (min-max)	4,1 - 14,2
kW-H₂O (min-max)	2,9 - 11,0
% (min-max)	92,9 - 91,1
m³	407
kg/h (min-max)	0,9 - 3,2
Dim. (WxHxD)	511x1150x632
kg	163
Ø mm	100 B
W (min-max)	65 - 95
kg/ℓ	~27 kg / ~43 ℓ
bar	3

PRESTIGE



Ivory



Bronze

MARINA IDRO H1 1

A+



Ivory

kW-N (min-max)	4,2 - 14,8
kW-H₂O (min-max)	3,0 - 11,0
% (min-max)	93,8 - 92,9
m³	425
kg/h (min-max)	0,9 - 3,3
Dim. (WxHxD)	550x1039x601
kg	180
Ø mm	80 B
W (min-max)	32 - 65
kg/ℓ	~20 kg / ~32 ℓ
bar	3



Bordeaux



Bronze

PELLET THERMOSTOVES

COSTANZA IDRO 5.0

A+

(Air-tight)



White

kW-N (min-max) 4,8 - 16,0
kW-H₂O (min-max) 3,3 - 12,0
% (min-max) 90,7 - 90,3
m³ 459
kg/h (min-max) 1,1 - 3,6
Dim. (WxHxD) 495x1152x628
kg 165
Ø mm 100 B
W (min-max) 25 - 60 W
kg/ℓ ~ 27 kg / ~43 ℓ
bar 3



Bordeaux

GUENDA IDRO 5.0

A+



Bronze

kW-N (min-max) 5,0 - 16,7
kW-H₂O (min-max) 3,8 - 14,0
% (min-max) 92,5 - 92,4
m³ 479
kg/h (min-max) 1,1 - 3,7
Dim. (WxHxD) 576x1157x621
kg 210
Ø mm 100 B
W (min-max) 20 - 22
kg/ℓ ~ 30 kg / ~ 48 ℓ
bar 3

Evolution
Life



Ivory



Taupe Matt

MARINA IDRO H13

A+



Bronze

kW-N (min-max) 5,1 - 17,5
kW-H₂O (min-max) 3,7 - 13,0
% (min-max) 94,2 - 92,4
m³ 502
kg/h (min-max) 1,1 - 3,8
Dim. (WxHxD) 550x1149x601
kg 190
Ø mm 80 B
W (min-max) 25 - 70
kg/ℓ ~ 24 kg / ~ 32 ℓ
bar 3



Ivory



Bordeaux

EVELYNE IDRO 2.0 (Slim)

A+

(Air-tight)



Grey

kW-N (min-max) 5,3 - 18,0
kW-H₂O (min-max) 3,5 - 14,8
% (min-max) 95,9 - 93,5
m³ 517
kg/h (min-max) 1,1 - 4,0
Dim. (WxHxD) 878x1098x412
kg 209
Ø mm 100 B
W (min-max) 80 - 85
kg/ℓ ~ 27 kg / ~ 43 ℓ
bar 3

Evolution
Life



White



Taupe

PELLET THERMOSTOVES

ISIDORA IDRO H16

A+



Bright Taupe

kW-N (min-max) 5,6 - 18,7
kW-H₂O (min-max) 4,3 - 16,0
% (min-max) 91,5 - 92,4
m³ 536
kg/h (min-max) 1,3 - 4,2
Dim. (WxHxD) 596x1165x708
kg 227
Ø mm 100 B
W (min-max) 60 - 85
kg/ℓ ~ 33 kg / ~ 53 ℓ
bar 3

Evolution
Life



Bordeaux



White

ISIDE IDRO 5.0

A+



Bordeaux

kW-N (min-max) 5,4 - 19,0
kW-H₂O (min-max) 4,0 - 14,7
% (min-max) 93,3 - 93,9
m³ 545
kg/h (min-max) 1,2 - 4,2
Dim. (WxHxD) 690x1196x628
kg 247
Ø mm 100 B
W (min-max) 78 - 119
kg/ℓ ~ 35 kg / ~ 56 ℓ
bar 3



Parchment



White



Amethyst

RAFFAELLA IDRO H15 5.0

A+



White

kW-N (min-max) 5,4 - 19,0
kW-H₂O (min-max) 4,0 - 14,7
% (min-max) 93,3 - 93,9
m³ 545
kg/h (min-max) 1,2 - 4,2
Dim. (WxHxD) 633x1176x626
kg 214
Ø mm 100 B
W (min-max) 78 - 119
kg/ℓ ~ 35 kg / ~ 56 ℓ
bar 3



Bordeaux



Grigio luce

ISIDORA IDRO H20 5.0

A+



Ivory

kW-N (min-max) 6,9 - 23,1
kW-H₂O (min-max) 5,7 - 20,0
% (min-max) 90,7 - 92,9
m³ 663
kg/h (min-max) 1,6 - 5,1
Dim. (WxHxD) 596x1243x708
kg 235
Ø mm 100 B
W (min-max) 26 - 28
kg/ℓ ~ 38 kg / ~ 61 ℓ
bar 3

Evolution
Life



White



Bordeaux

New 2025

PELLET THERMOSTOVES

RAFFAELLA IDRO H18 5.0

A+



Grigio Luce

kW-N	5,4 - 23,6
kW-H ₂ O	4,0 - 17,7
%	93,3 - 92,4
m ³	677
kg/h	1,2 - 5,3
Dim. (WxHxD)	633x1176x626
kg	214
Ø mm	100 B
W	78 - 130
kg/ℓ	~35 kg / ~56 ℓ
bar	3



Ivory

ISIDORA IDRO H23 5.0

A+



Bordeaux

kW-N (min-max)	7,7 - 27,6
kW-H ₂ O (min-max)	6,1 - 23,0
% (min-max)	89,3 - 92,1
m ³	792
kg/h (min-max)	1,7 - 6,1
Dim. (WxHxD)	596x1243x737
kg	235
Ø mm	100 B
W (min-max)	30 - 38
kg/ℓ	~ 38 kg / ~ 61 ℓ
bar	3

Evolution
line

New 2025



White



Ivory




Ventilated pellet thermo-stove - mod. ISIDORA IDRO H20 5.0

PELLET FIREPLACES

PELLET INSERTS

THE IDEAL SOLUTION
FOR YOUR FIREPLACE




COMFORT P70 H49 5.0

A+

(Ventilated)



kW-N (min-max) 3,0 - 8,0
% (min-max) 92,6 - 91,0
m³ 230
kg/h (min-max) 0,7 - 1,8
Dim. (WxHxD) 680x480x512
kg 113
Ø mm 80 T
W (min-max) 25 - 98
kg/ℓ ~ 11 kg / ~18 ℓ




COMFORT P70 AIR

A+

(Ventilated)



kW-N (min-max) 3,0 - 10,0
% (min-max) 90,4 - 90,9
m³ 287
kg/h (min-max) 0,7 - 2,2
Dim. (WxHxD) 670x530x561
kg 125
Ø mm 80 T
W (min-max) 23 - 75 W
kg/ℓ ~ 15 kg / ~24 ℓ



* Dimensions with frame
 ** Compartment dimensions
 with pellet loading drawer.


COMFORT P70 AIR PLUS

A+

(Ducting system)



kW-N (min-max) 3,0 - 10,0
% (min-max) 91,5 - 92,2
m³ 287
kg/h (min-max) 0,7 - 2,2
Dim. (WxHxD) 670x530x562
kg 131
Ø mm 80 T
W (min-max) 35 - 105
kg/ℓ ~ 13 kg / ~21 ℓ



* Dimensions with frame
 ** Compartment dimensions
 with pellet loading drawer.

PELLET FIREPLACES


COMFORT P85

(Ventilated)

A+



kW-N (min-max)	3,5 - 12,0
% (min-max)	91,3 - 91,8
m³	344
kg/h (min-max)	0,8 - 2,6
Dim. (WxHxD)	814x550x636
kg	145
Ø mm	80 T
W (min-max)	25 - 100
kg/ℓ	~ 16 kg / ~25 ℓ




COMFORT P85 PLUS

(Ducting system)

A+



kW-N (min-max)	3,5 - 12,0
% (min-max)	92,0 - 91,1
m³	344
kg/h (min-max)	0,8 - 2,6
Dim. (WxHxD)	814x550x636
kg	160
Ø mm	80 T
W (min-max)	75 - 150
kg/ℓ	~ 16 kg / ~25 ℓ




COMFORT IDRO L80

(Thermo-fireplace ventilated)

A+



kW-N (min-max)	5,7 - 19,0
kW-H₂O (min-max)	4,3 - 14,9
% (min-max)	91,6 - 90,4
m³	545
kg/h (min-max)	1,3 - 4,3
Dim. (WxHxD)	821x648x608
kg	220
Ø mm	100 T
W (min-max)	80 - 100
kg/ℓ	~ 18 kg / ~29 ℓ
bar	2,5




Pellet Fireplaces ventilated - mod. COMFORT P70 H49 5.0

PELLET BOILERS

PELLET BOILERS

A FORCE OF NATURE
IN THE SERVICE
OF YOUR HOME



PK15

A+



kW-N (min-max)	4,1 - 15,0
kW-H₂O (min-max)	4,1 - 15,0
% (min-max)	87,7 - 93,0
m³	430
kg/h (min-max)	1,0 - 3,4
Dim. (WxHxD)	822x1398x745
kg	295
Ø mm	100 B/LH side
W (min-max)	60 - 65
kg/ℓ	~ 75 kg / ~ 119 ℓ
bar	3

PR20

A+



kW-N (min-max)	5,7 - 20,0	<i>Evolution line</i>
kW-H₂O (min-max)	5,7 - 20,0	
% (min-max)	88,4 - 92,4	
m³	573	
kg/h (min-max)	1,4 - 4,6	
Dim. (WxHxD)	822x1398x817	
kg	310	
Ø mm	100 B/LH side	
W (min-max)	60 - 65	
kg/ℓ	~ 75 kg / ~ 119 ℓ	
bar	3	



Ash extractor

PK20

A+



kW-N (min-max)	5,7 - 20,0
kW-H₂O (min-max)	5,7 - 20,0
% (min-max)	88,4 - 92,4
m³	573
kg/h (min-max)	1,4 - 4,6
Dim. (WxHxD)	822x1398x745
kg	295
Ø mm	100 B/LH side
W (min-max)	60 - 65
kg/ℓ	~ 75 kg / ~ 119 ℓ
bar	3

PELLET BOILERS

PR30

A+



kW-N (min-max)	8,9 - 30,0
kW-H₂O (min-max)	8,9 - 30,0
% (min-max)	92,7 - 92,4
m³	860
kg/h (min-max)	2,0 - 6,8
Dim. (WxHxD)	892x1398x817
kg	325
Ø mm	120 B/LH side
W (min-max)	70 - 85
kg/ℓ	~ 75 kg / ~ 119 ℓ
bar	3

Evolution
life



Ash extractor

PK30

A+



kW-N (min-max)	8,9 - 30,0
kW-H₂O (min-max)	8,9 - 30,0
% (min-max)	92,7 - 92,4
m³	860
kg/h (min-max)	2,0 - 6,8
Dim. (WxHxD)	892x1398x745
kg	310
Ø mm	120 B/LH side
W (min-max)	70 - 85
kg/ℓ	~ 75 kg / ~ 119 ℓ
bar	3

BOILERS AND THERMO PRODUCTS

By way of providing generic information, we highlight below the main information one must have in order to make an informed decision when choosing an appliance:

- Thermal requirements of the home
- Type of existing heating system: radiators, fan coil units, or radiant panels
- Type of distribution system: one-pipe, two-pipe or manifolds
- Indication of whether, in addition to heating, the boiler is also intended for the production of domestic hot water
- Any set-up for or installation of thermal solar collectors
- Most suitable type of storage: DHW storage tank or puffer

Accordingly, it is important to seek the guidance of a qualified technician who is able to perform a precise analysis of the system, provide explanations to any questions, including regulation requirements for installation, and recommend the most suitable type of boiler.

A correctly designed therefore guarantees:

- complete safety of one's home
- maximum comfort
- high yield of heat generator
- maximum savings
- less wear to the parts and therefore longer service life of the appliance





Control Solution

Technology, Comfort and Savings

Discover the innovative solutions to manage the comfort of your home at best and in utter convenience thanks to your pellet product.

ACCESSORY



THE INSTALLATION EXPANSION BOARD

Optimises functioning of the appliance by means of appropriate configurations, reducing consumption and extending the working life of the product.

Thermal energy storage tanks

Wood or pellet boilers

Pellet stocking tank



ALWAYS IN CONTACT WITH YOUR STOVE



Total Control 3.0

ACCESSORY APP

WIFI MODULE GREY LABEL

Compatible with models introduced from 2022



Total Control

ACCESSORY APP

WIFI MODULE WHITE LABEL

Compatible with models introduced up to 2017



Total Control 2.0


Display Black Mask

Nuovo display Black Mask con Wi-Fi integrato per gestione da remoto con la nuova App dedicata "Total Control 2.0"



WOOD

STOVE



The quality and solidity of the materials,

the harmony of the lines,

the care in the realisation

and the safety in use.

With this in mind,

“La Nordica-Extraflame”

wood-burning products are born.

WOOD STOVES

BRIGITTA GB

A+



Anthracite black

kW-N	4,7
%	81,0
m³	134
kg/h	1,4
Dim. (WxHxD)	404x640x397
kg	70
Ø mm	120 T



SUPER JUNIOR

A



Black

kW-N	5,0
%	80,0
m³	143
kg/h	1,5
Dim. (WxHxD)	360x771x419
kg	64
Ø mm	120 T



Green

ASIA BII *

A+



Vulcan

kW-N	6,0
%	81,3 %
m³	172
kg/h	1,7
Dim. (WxHxD)	438x930x470
kg	159
Ø mm	120 T



CANDY 4.0

A+



Anthracite black

kW-N	6,2
%	85,1
m³	177
kg/h	1,7
Dim. (WxHxD)	404x890x397
kg	85
Ø mm	120 T



* While stocks last

WOOD STOVES

GIULIETTA X 4.0

A+



kW-N 6,5
% 81,7
m³ 186
kg/h 1,9
Dim. (WxHxD) 487x706x430
kg 115
Ø mm 120 B/T

Anthracite black

EMILIANA

A+



kW-N 6,5
% 88,7
m³ 186
kg/h 1,7
Dim. (WxHxD) 453x950x490
kg 135
Ø mm 120 T

Bordeaux



White Infinity

EMILIANA - STEEL

A+



kW-N 6,5
% 88,7
m³ 186
kg/h 1,7
Dim. (WxHxD) 453x950x490
kg 121
Ø mm 120 T

Anthracite black



TEA 5.0

A+



kW-N 7,0
% 88,5
m³ 201
kg/h 1,8
Dim. (WxHxD) 414x1346x419
kg 79
Ø mm 120 T

White



Anthracite Black

WOOD STOVES

GEMMA

A+



Elegance White Infinity

kW-N 6,0
% 82,2
m³ 172
kg/h 1,7
Dim. (WxHxD) 460x840x495
kg 85 - PT 98
Ø mm 120 T



Elegance Bordeaux Liberty Panna Natural stone (PT)

GEMMA FORNO 5.0

A+



Elegance White Infinity

kW-N 7,3
% 87,2
m³ 209
kg/h 1,9
Dim. (WxHxD) 460x1207x495
kg 125
Ø mm 120 T
 19 ℓ



Elegance Bordeaux

GEMMA FORNO 5.0 PETRA

A+



Natural Stone

kW-N 7,3
% 87,2
m³ 209
kg/h 1,9
Dim. (WxHxD) 460x1207x495
kg 140
Ø mm 120 T
 19 ℓ




ISETTA CON CERCHI.16

A



Anthracite black

kW-N 7,3
% 80
m³ 209
kg/h 2,1
Dim. (WxHxD) 660x760x590
kg 167
Ø mm 150 B/T



WOOD STOVES


ISETTA.16

A



Anthracite black

kW-N	7,3
%	80
m³	209
kg/h	2,1
Dim. (WxHxD)	660x706x590
kg	160
Ø mm	150 B/T



LIÙ 5.0

A+




Bordeaux

kW-N	7,5
%	85,8
m³	215
kg/h	2,0
Dim. (WxHxD)	537x1562x508
kg	170
Ø mm	130 T

PRESTIGE
LINE



White Infinity



LIÙ 5.0 PETRA

A+




Natural Stone

kW-N	7,5
%	85,8
m³	215
kg/h	2,0
Dim. (WxHxD)	537x1562x508
kg	201
Ø mm	130 T

PRESTIGE
LINE



Natural stone



MARLENA 5.0

A+




Anthracite black

kW-N	7,5
%	85,8
m³	215
kg/h	2,0
Dim. (WxHxD)	465x1562x475
kg	140
Ø mm	130 T



Anthracite Black




WOOD STOVES

ESTER BII *

A



kW-N	7,5
%	80,0
m³	215
kg/h	2,2
Dim. (WxHxD)	540x950x478
kg	243
Ø mm	130 T



Vulcan


* While stocks last

ESTER FORNO EVO *

A+



kW-N	8,2
%	86,7
m³	235
kg/h	2,2
Dim. (WxHxD)	540x1300x478
kg	317
Ø mm	130 T
Oven capacity	22 ℓ



Vulcan

* While stocks last

TAHITI *

A+



kW-N	7,7
%	81,8
m³	220
kg/h	2,2
Dim. (WxHxD)	746x894x483
kg	150
Ø mm	150 T

PRESTIGE
LINE



Anthracite black

* While stocks last

JENNIFER 2.0

A+



kW-N	7,7
%	81,8
m³	220
kg/h	2,2
Dim. (WxHxD)	702x870x478
kg	141
Ø mm	150 T



Anthracite black

WOOD STOVES

FEDORA

A+



White Infinity

kW-N 8,3
% 86,4
m³ 238
kg/h 2,3
Dim. (WxHxD) 559x1035x547
kg 175
Ø mm 130 T



Bordeaux

FEDORA - STEEL

A+



Anthracite black

kW-N 8,3
% 86,4
m³ 238
kg/h 2,3
Dim. (WxHxD) 559x1035x547
kg 150
Ø mm 130 T



ROSSELLA R1 5.0

A+



Liberty White Infinity

kW-N 9,0
% 86,8
m³ 257
kg/h 2,4
Dim. (WxHxD) 578x1425x586
kg 155
Ø mm 130 T



Liberty Bordeaux

Liberty Panna

ROSSELLA R1 5.0 PETRA

A+



Natural Stone

kW-N 9,0
% 86,8
m³ 257
kg/h 2,4
Dim. (WxHxD) 578x1425x586
kg 170
Ø mm 130 T



Natural stone

WOOD STOVES

ROSSELLA PLUS FORNO 5.0

A+



Liberty Panna

kW-N	9,4
%	87,4
m³	270
kg/h	2,5
Dim. (WxHxD)	559x1359x536
kg	195
Ø mm	130 T
Oven capacity	37 ℓ



Liberty Bordeaux

ROSSELLA PLUS FORNO 5.0 PETRA

A+



Natural Stone

kW-N	9,4
%	87,4
m³	270
kg/h	2,5
Dim. (WxHxD)	559x1359x536
kg	219 PT
Ø mm	130 T
Oven capacity	37 ℓ

ISOTTA FORNO EVO

A+



Anthracite black

kW-N	9,7
%	87,7
m³	278
kg/h	2,6
Dim. (WxHxD)	795x1244x530
kg	300
Ø mm	150 T
Oven capacity	39 ℓ



NOVA FORNO

A+



Matt White

kW-N	11,8
%	86,4
m³	388
kg/h	3,2
Dim. (WxHxD)	559x1496x569
kg	256
Ø mm	150 T
Oven capacity	37 ℓ



Bordeaux

PRESTIGE
Line

WOOD STOVES

NOVA FORNO STEEL

A+



Anthracite black

kW-N	11,8
%	86,4
m³	388
kg/h	3,2
Dim. (WxHxD)	559x1496x569
kg	217
Ø mm	150 T
Oven capacity	37 ℓ

PRESTIGE


CONCITA 2.0

A+



White Infinity

kW-N	11,8
%	86,4
m³	338
kg/h	3,2
Dim. (WxHxD)	559x1545x569
kg	185
Ø mm	150 T




CONCITA 2.0 - STEEL

A+



Anthracite black

kW-N	11,8
%	86,4
m³	338
kg/h	3,2
Dim. (WxHxD)	559x1545x569
kg	157
Ø mm	150 T



LAVINIA EOS

A+

Cast iron catalytic wood stove



New 2025

Anthracite black

kW-N	11,9 **
%	> 85 **
m³	388 **
kg/h	3,2 **
Dim. (WxHxD)	757x755x686 **
kg	270 **
Ø mm	150 B/T **



PRESTIGE

** Technical data may be subject to changes, approval pending

WOOD STOVES

ISOTTA CON CERCHI .16

A



kW-N	11,9
%	80
m³	341
kg/h	3,3
Dim. (WxHxD)	790x830x660
kg	216
Ø mm	150 B/T




Anthracite black

ISOTTA.16

A



kW-N	11,9
%	80
m³	341
kg/h	3,3
Dim. (WxHxD)	790x775x660
kg	205
Ø mm	150 B/T



Anthracite black

DANTE 5.0

A+



kW-N	12,4
%	86,8
m³	355
kg/h	3,2
Dim. (WxHxD)	822x1514x542
kg	158
Ø mm	160 T

PRESTIGE
Line



Matte black

DANTE WITH BENCH (optional element)

DANTE 5.0 CON PORTALEGNA

A+



kW-N	12,4
%	86,8
m³	355
kg/h	3,2
Dim. (WxHxD)	822x1938x542
kg	183
Ø mm	160 T

PRESTIGE
Line



Matte black

WOOD STOVES

Evolution
line

TOP-OF-THE-LINE PRODUCTION

OF THE LA NORDICA-EXTRAFLEAME GROUP

FOR THE BEST RETAILERS.

DESIGN, TECHNOLOGY

AND PERFORMANCE.

LARISSA

A+

Automatic combustion air control



Anthracite black

kW-N	5,1 - 9,3
%	86,9 - 86,3
m³	267
kg/h	1,3 - 2,5
Dim. (WxHxD)	628x1226x483
kg	202
Ø mm	130 B/T

Evolution
line

SIMPLICITY AND SAVINGS

The electronic system regulates the input of combustion air to optimise the various working phases of the stove: ottimieren:

- Ignition
- Combustion
- Eco mode

TERMOROSSELLA PLUS EVO DSA 4.0

A+



Liberty Panna

kW-N	11,1
kW-H₂O	8,0
%	88,0
m³	318
kg/h	3,0
Dim. (WxHxD)	559x915x533
kg	162
Ø mm	130 T



Liberty Bordeaux

WOOD BURNING HEATING STOVES

IT'S TIME TO THINK ABOUT YOUR HEATING PLANT



WOOD-BURNING HEATING STOVES

TERMOROSSELLA PLUS EVO DSA 4.0 - PETRA

A+



kW-N	11,1
kW-H₂O	8,0
%	88,0
m³	318
kg/h	3,0
Dim. (WxHxD)	559x915x533
kg	175 PT
Ø mm	130 T

Natural Stone

TERMOROSSELLA PLUS FORNO DSA 4.0

A+



kW-N	11,1
kW-H₂O	8,0
%	88,0
m³	318
kg/h	3,0
Dim. (WxHxD)	559x1359x533
kg	218
Ø mm	130 T
Oven capacity	37 ℓ

Liberty Bordeaux



Liberty panna

TERMOROSSELLA PLUS FORNO DSA 4.0 - PETRA

A+



kW-N	11,1
kW-H₂O	8,0
%	88,0
m³	318
kg/h	3,0
Dim. (WxHxD)	559x1359x533
kg	242 PT
Ø mm	130 T
Oven capacity	37 ℓ

Natural Stone

TERMOISOTTA DSA *

A



kW-N	15,0
kW-H₂O	8,5
%	78,4
m³	430
kg/h	4,4
Dim. (WxHxD)	760x775x520
kg	212
Ø mm	150 T

Anthracite black



* While stocks last

WOOD-BURNING HEATING STOVES

SIERRA

A+

Wood-burning thermo-stove with open vessel system and closed circuit



Anthracite black

KW-N	15,4
KW-H₂O	10,2
%	87,7
m³	442
kg/h	4,0
Dim. (WxHxD)	1252x858x665
kg	340
Ø mm	150 B/T
Oven capacity	51 ℓ

PRESTIGE
Product certified EN 13240



LORIETS DSA *

A+



Bordeaux

KW-N	16,8
KW-H₂O	10,5
%	88,0
m³	481
kg/h	4,3
Dim. (WxHxD)	570x1258x567
kg	203
Ø mm	130 T



Infinity White

* While stocks last

WHAT IS THE "DSA SYSTEM" IN OUR WOOD HYDRO PRODUCT:


It is a safety coil heat exchanger which allows to install our products in a closed pressurized system. The product is already equipped with the DSA system input (exchanger with connections) so it is mandatory to install an automatic thermal relief valve (optional).



WOOD-BURNING COOKER

WOOD-BURNING COOKER

FOOD COOKED IN A
WOOD-BURNING STOVE
JUST TASTES BETTER



VICENZA EVO

A+



kW-N	6,0
%	86,0
m³	172
kg/h	1,7
Dim. (WxHxD)	600x850-910x600
kg	137
Ø mm	120 B/T/RH side/LH side
W	25 W
Oven capacity	25 ℓ



Anthracite black

Inox

VERONA XXL

A+



Anthracite black

kW-N	7,0
%	85,1
m³	200
kg/h	1,9
Dim. (WxHxD)	800x850-910x600
kg	175
Ø mm	150 B/T/RH side/LH side
W	25 W
Oven capacity	68 ℓ



Inox

VERONA XXL - MAIOLICA

A+



Infinity White

kW-N	7,0
%	85,1
m³	200
kg/h	1,9
Dim. (WxHxD)	800x910x600
kg	200
Ø mm	150 B/T
W	25 W
Oven capacity	68 ℓ



Bordeaux

WOOD-BURNING COOKER

VERONA XXL - PETRA

A+



kW-N	7,0
%	85,1
m³	200
kg/h	1,9
Dim. (WxHxD)	800x910x600
kg	206
Ø mm	150 B/T
W	25 W
Oven capacity	68 ℓ

Natural Stone

FAMILY 4,5

A+



kW-N	7,5
%	81,0
m³	215
kg/h	2,2
Dim. (WxHxD)	964x853x642
kg	125
Ø mm	130 T
Oven capacity	41 ℓ

Anthracite black



White

Caramello

SOVRANA EASYEVO 2.0

A+



kW-N	7,5
%	81,0
m³	215
kg/h	2,2
Dim. (WxHxD)	964x848x641
kg	140
Ø mm	130 B/T
Oven capacity	41 ℓ

Anthracite black



White

Caramello

ROSETTA 5.0

A+



kW-N	7,9
%	86,9
m³	226
kg/h	2,1
Dim. (WxHxD)	885x843x572
kg	153 - 167 PT
Ø mm	130 B/T
Oven capacity	28 ℓ

Liberty Panna



Liberty Bordeaux

Natural stone (PT)

WOOD-BURNING COOKER

ROSETTA 5.0 - MAIOLICA

A+



kW-N 7,9
% 86,9
m³ 226
kg/h 2,1
Dim. (WxHxD) 885x843x572
kg 169
Ø mm 130 B/T
Oven capacity 28 ℓ



ROSETTA SINISTRA 5.0

A+



kW-N 7,9
% 86,9
m³ 226
kg/h 2,1
Dim. (WxHxD) 885x843x572
kg 153 - 167 PT
Ø mm 130 B/T
Oven capacity 28 ℓ



ROSETTA SINISTRA 5.0 - STEEL

A+



kW-N 7,9
% 86,9
m³ 226
kg/h 2,1
Dim. (WxHxD) 885x843x572
kg 139
Ø mm 130 B/T
Oven capacity 28 ℓ

Certified product
EN 13240



ROSA REVERSE 2.0

A+



kW-N 8,2
% 86,5
m³ 235
kg/h 2,3
Dim. (WxHxD) 1030x851x650
kg 183
Ø mm 150 B/T
Oven capacity 28 ℓ

Certified product
EN 13240



WOOD-BURNING COOKER

ROSA SINISTRA REVERSE

A+



kW-N	8,2
%	86,5
m³	235
kg/h	2,3
Dim. (WxHxD)	1030x851x650
kg	183 kg
Ø mm	150 B/T
Oven capacity	28 ℓ



Liberty Bordeaux

ROSA SINISTRA REVERSE - PETRA

A+



kW-N	8,2
%	86,5
m³	235
kg/h	2,3
Dim. (WxHxD)	1030x851x650
kg	200 kg
Ø mm	150 B/T
Oven capacity	28 ℓ

Natural Stone

VENEZIA

A+



Inox

kW-N	8,3
%	86,9
m³	238
kg/h	2,2
Dim. (WxHxD)	900x850-910x600
kg	175
Ø mm	130 B/T/RH side
W	25 W
Oven capacity	44 ℓ

Certified product
EN 13240



Anthracite black



White

New 2025

MILLY

A+



Milly with Food Warmer (optional element)

kW-N	8,7
%	89,1
m³	249
kg/h	2,3
Dim. (WxHxD)	1050x865x670 (without food warmer)
kg	217
Ø mm	150 B/T
Oven capacity	78 ℓ

PRESTIGE



Bordeaux



Infinity White

WOOD-BURNING COOKER

ROSA 5.0 - CERAMICA

A+



Liberty Panna

kW-N 8,8
% 85,4
m³ 252
kg/h 2,5
Dim. (WxHxD) 1030x851x650
kg 183
Ø mm 150 B/T
Oven capacity 41 ℓ



Liberty Bordeaux

ROSA 5.0 - MAIOLICA

A+



Bordeaux

kW-N 8,8
% 85,4
m³ 252
kg/h 2,5
Dim. (WxHxD) 1030x851x650
kg 204
Ø mm 150 B/T
Oven capacity 41 ℓ



White Infinity



Taupe

ROSA 5.0 - PETRA

A+



Natural Stone

kW-N 8,8
% 85,4
m³ 252
kg/h 2,5
Dim. (WxHxD) 1030x851x650
kg 200
Ø mm 150 B/T
Oven capacity 41 ℓ

ROSA 5.0 - STEEL

A+



Anthracite black

kW-N 8,8
% 85,4
m³ 252
kg/h 2,5
Dim. (WxHxD) 1030x851x650
kg 170
Ø mm 150 B/T
Oven capacity 41 ℓ



Dotted White

WOOD-BURNING COOKER

SUPREMA 4.0 *

A+



kW-N	9,0
%	87,7
m³	258
kg/h	2,4
Dim. (WxHxD)	974x860x660
kg	220
Ø mm	150 B/T
Oven capacity	78 ℓ

Glazed black

* While stocks last

ROSAL 5.0 - STEEL

A+



kW-N	9,5
%	86,7
m³	272
kg/h	2,5
Dim. (WxHxD)	975x861x670 mm
kg	192
Ø mm	150 B/T
Oven capacity	55 ℓ

Anthracite black

GARDENIA 5.0

A+



kW-N	9,5
%	86,7
m³	272
kg/h	2,5
Dim. (WxHxD)	950x864x704
kg	192 - 212 PT
Ø mm	150 B/T
Oven capacity	55 ℓ

PRESTIGE

Natural Stone



Anthracite black

GARDENIA XXL

A+

Cast iron oven



kW-N	4,5 - 10,5 **
%	89,2 - 88,6 **
m³	301 **
kg/h	1,2 - 2,7 **
Dim. (WxHxD)	1074x861x669 **
kg	202 - 222 PT **
Ø mm	150 B/T **
Oven capacity	78 ℓ **

PRESTIGE

Natural Stone (PT)



Anthracite black



EASY PIZZA KIT
PIZZA PLATE (1PC)
+ SHOVEL (1PC)

** Technical data may be subject to changes, approval pending

WOOD-BURNING COOKER

ROSA XXL 5.0 - STEEL

A+



kW-N	11,0
%	87,3
m ³	315
kg/h	2,9
Dim. (WxHxD)	1074x861x669
kg	202
Ø mm	150 B/T
Oven capacity	78 ℓ

ROSA XXL 5.0 - MAIOLICA

A+



kW-N	11,0
%	87,3
m ³	315
kg/h	2,9
Dim. (WxHxD)	1074x861x669
kg	235
Ø mm	150 B/T
Oven capacity	78 ℓ



ROSA XXL 5.0 - PETRA

A+



kW-N	11,0
%	87,3
m ³	315
kg/h	2,9
Dim. (WxHxD)	1074x861x669
kg	275
Ø mm	150 B/T
Oven capacity	78 ℓ


ALASKA

A+



kW-N	12,0
%	88,6
m ³	344
kg/h	3,2
Dim. (WxHxD)	1307x860x705
kg	350
Ø mm	150 B/T
Oven capacity	78 ℓ

PRESTIGE
Line




Three-ring plate

WOOD-BURNING THERMO-COOKERS

WOOD-BURNING THERMO-COOKERS

HEAT, TASTE AND ATMOSPHERE:
ALL OF THIS IN ONE PRODUCT



TERMOSOVRAANA DSA *

A+



Anthracite black

kW-N	13,5
%	9,0
m³	387
kg/h	3,9
Dim. (WxHxD)	964x889x640
kg	166
Ø mm	130 B/T
Oven capacity	41 ℓ



White

* While stocks last

TERMOROSA DSA

A



Liberty Bordeaux

kW-N	15,5
kW-H₂O	9,0
%	79,9
m³	444
kg/h	4,5
Dim. (WxHxD)	1017x852x662
kg	211-226 PT
Ø mm	150 B/T
Oven capacity	41 ℓ



Natural stone (PT)

TERMOROSA XXL DSA

A+



Anthracite black

kW-N	18,4
kW-H₂O	15,1
%	83,0
m³	527
kg/h	5,2
Dim. (WxHxD)	1074x861x690
kg	275
Ø mm	160 B/T
Oven capacity	55 ℓ

WOOD-BURNING THERMO-COOKERS

TERMOSUPREMA COMPACT DSA *

A+



Glazed black

kW-N	18,5
kW-H₂O	15,0
%	83,0
m³	530
kg/h	5,2
Dim. (WxHxD)	982x860x682
kg	293
Ø mm	160 B/T
Oven capacity	55 ℓ

* While stocks last




Wood burning thermo-cooker - mod. TERMOROSA XXL DSA

WOOD FIREPLACES

INSERTS FOR WOOD-BURNING CAST IRON / CRYSTAL / WIDE


THE IDEAL SOLUTION
FOR YOUR FIREPLACE



INSERTO 60 4.0 - VENTILATO A+




kW-N	6,5
%	80,8
m³	186
kg/h	1,9
Dim. (WxHxD)	595x500x440
kg	124
Ø mm	160 T
W	23



INSERTO 70 H49 4.0 - VENTILATO A+




kW-N	6,7
%	82,0
m³	192
kg/h	1,9
Dim. (WxHxD)	695x495x450
kg	149
Ø mm	160 T
W	34



INSERTO 80 CRYSTAL EVO 2.0 - VENTILATO A+



kW-N	7,4
%	83,9
m³	212
kg/h	2,1
Dim. (WxHxD)	800x555x500
kg	130
Ø mm	160 T
W	40




WOOD FIREPLACES

INSERTO 70 WIDE *

A+

kW-N	7,5
%	80,7
m³	215
kg/h	2,2
Dim. (WxHxD)	563x295x354
kg	140
Ø mm	160 T




* While stocks last

INSERTO 70 4.0 - VENTILATO

A


kW-N	7,8
%	79,1
m³	223
kg/h	2,3
Dim. (WxHxD)	695x550x450
kg	142
Ø mm	160 T
W	34



INSERTO 100 WIDE.16

A


kW-N	8,1
%	80
m³	232
kg/h	2,3
Dim. (WxHxD)	1000x561x509
kg	178
Ø mm	160 T



INSERTO 70 PRS WIDE *

A+

kW-N	8,1
%	86,1
m³	232
kg/h	2,2
Dim. (WxHxD)	704x1051x506
kg	158
Ø mm	160 T



* While stocks last

WOOD FIREPLACES


INSERTO 70 EOS

New 2025

A



kW-N	8,5 **
%	85,0 **
m³	244 **
kg/h	2,3 **
Dim. (WxHxD)	705x1019x530 **
kg	130 **
Ø mm	150 T **
W	30 **



** Technical data may be subject to changes, approval pending


INSERTO 70 LEAN

New 2025

A



kW-N	8,5 **
%	77 **
m³	244 **
kg/h	2,3 **
Dim. (WxHxD)	705x560x530 **
kg	115 **
Ø mm	150 T **
W	30 **




** Technical data may be subject to changes, approval pending

INSERTO 80 WIDE 5.0

A+



kW-N	12,4
%	86,8
m³	355
kg/h	3,2
Dim. (WxHxD)	800x1478x509
kg	160
Ø mm	160 T




THE IDEAL SOLUTION FOR YOUR FIREPLACE

N.B.: Two adequately sized ventilation grilles (an inlet grille at the bottom and an outlet one at the top) should be installed during assembly to ensure correct operation and permit heating of the room and correct cooling of the product (see the manual attached to the product)

WOOD FIREPLACES

MONOBLOCKS

THE IDEAL SOLUTION
FOR YOUR FIREPLACE




MONOBLOCCO 800 ANGOLO SX *

A+



kW-N	10,0
%	80,9
m³	287
kg/h	2,9
Dim. (WxHxD)	879x1570-1605x612
kg	271
Ø mm	200 T




* While stocks last

MONOBLOCCO 3LC.16

A



kW-N	12,0	PRESTIGE <small>Line</small>
%	80	
m³	244	
kg/h	3,5	
Dim. (WxHxD)	1034x1645 - 1685x655	
kg	320	
Ø mm	200 T	




MONOBLOCCO 90PA 2.0

A+




kW-N	13,2	PRESTIGE <small>Line</small>
%	85,3	
m³	378	
kg/h	3,7	
Dim. (WxHxD)	1105x1590 - 1630x650	
kg	320	
Ø mm	180 T	



WOOD FIREPLACES

WOOD-BURNING CLOSED FIREPLACES

HEAT, POWER AND A UNIQUE ATMOSPHERE:
ALL IN A FIREPLACE




TERMOCAMINO WF PLUS DSA

A+



kW-N	20,5
kW-H₂O	11,3
%	85,5
m³	587
kg/h	5,4
Dim. (WxHxD)	846x1585-1625x667
kg	334
Ø mm	200 T



Le Cucinotte

The perfect partner in the kitchen

Le Cucinotte are more than just cookware: they are custodians of stories and traditions, a precious piece of sharing and authenticity. With a design that evokes the charm of the past and cooking performance that meets the demands of today, each dish reflects our commitment to quality and attention to detail. The glass-based enamel finish adds not only beauty, but also unparalleled versatility of use, ideal for food preparation and storage.

Perfect cooking everywhere.

Designed for every type of cooker, including induction, and perfect for any cooking method, Le Cucinotte make for even and controlled cooking at any temperature. Functional but also aesthetic: their elegant design also makes them ideal as serving plates to keep food hot or cold during table service, offering maximum versatility for every occasion.



Oven



Grill



Electric hob



Ceramic glass hob



Gas hob



Induction hob



Radiant ring hob



The range

Our range offers different shapes and sizes to meet every need in the kitchen.

Le Cucinotte have unique characteristics..

EXCELLENCE ON ANY HEAT SOURCE

TOP TASTE AND FLAVOUR

ENAMELLED INTERIOR

COMFORTABLE AND DURABLE

AS STRONG AS CAST IRON



ROUND
ø 24 / 4 litri

Code 7019000



ROUND
ø 28 / 6 litri

Code 7019005



OVAL
ø 29 / 4 litri

Code 7019010



OVAL
ø 33 / 6 litri

Code 7019015

LIST OF FUNCTIONS OF PELLETT PRODUCTS

EASY SETUP

The Easy Setup function allows the user to easily configure the stove so that it can operate as efficiently as possible with most types of pellets available on the market. It ensures optimum performance in terms of yield for each type of pellet.

EASY CONTROL

In order to function, a stove must be connected to a system that has a flue and an external air inlet. Not all systems are the same as they depend on the physical characteristics of the building in which they are used: consequently, the operating conditions of the stove can vary considerably depending on the system itself. Thanks to the Easy Control function, the stove operates under optimal conditions even in difficult situations, minimising unwanted effects such as condensation and poor combustion, and it can also help to keep the glass of the stove door cleaner.

FLOW PERFORMANCE CONTROL (FPC)

The FPC system keeps the supply of combustion air constant at all times, thus ensuring that combustion characteristics remain the same. In this way, maximum stove efficiency is achieved even when the system conditions (stove+flue pipe) change.

FLOW PERFORMANCE CONTROL PLUS (FPC PLUS)

The FPC PLUS system, in addition to the work done by FPC, allows the identification of abnormal situations, putting the generator in safe conditions.

AUTOMATIC

The stove accurately and continuously regulates the power output in order to reach and maintain the temperature set by the user. This translates into improved thermal and acoustic comfort and reduced consumption.

AIR ZONE CONTROL (AZC)

The Air Zone Control feature is exclusive to products with a dedicated motor for ducting. The AZC function ensures maximum heat output to the ducting when the room in which the stove is installed has reached the set temperature. Therefore, in this mode, maximum comfort is achieved in the ducted area and consumption is significantly reduced when the set temperature is reached in the main room.

PRO AIR SETUP

New setup for ventilation mappings. It allows the user to choose between 4 different room ventilation modes:
Off = Fan off. N.B. Mode only available for models that have this setting option.
Quiet = Fan speed is reduced for noise reduction (compared to Regular).
Regular = Default configuration.
Boost = Fan speed is increased compared to Regular in order to maximise ventilation air flow.

SMART HOME INTEGRATION "ALEXA"

With this extra feature, the stove can be controlled via the "Alexa" (Amazon) voice assistant. This operation requires an Internet connection + the new Total Control 3.0 app: therefore, the product must have the "Grey" module or have this function integrated in the board/display set up for the 3.0. app.

MAKING THE RIGHT CHOICE

Think of the environment, even in your own home

When you decide to buy a wood burning range, a fireplace, a boiler or a wood or pellet burning stove, a series of factors influence your choice. La Nordica-Extraflame has provided this tool to help you find what you need.

1 Flue Pipe

Should be considered as the main element for smoke disposal. It must be built with material able to resist to high temperature, better with a circular shape, and 4 meters as minimal height without bends.

2 Connection Pipe flue


Appliance flue connection pipe must be shortest, with few horizontal parts as possible and with the same diameter of the collar pipe appliance connection.

3 Air Intake

It should be checked as correct appliance installation if do exist an external air intake big enough to offer a whole and efficient combustion.


4 Chimney

Put on the top, it must have the same internal section of the chimneypot, while the exit one must be twice compared to the flue pipe diameter to guarantee the residual combustion disposals and protecting against environment.



5 Canalization

It is always important to assess the maximum air-ductable distances of the installed product.



6 Thermo products

By choosing what thermo product to install, specific individual needs have to be considered in addition to a meticulous assess of the global thermal power needed by the heating system and of the installation place.



7 Heatable m³

The data is indicative. For the generator to be sized correctly, contact a skilled technician/designer. The total volume to heat, the thermal building insulation grade, the sun exposure and the climatic zone have to be determined in order to make the



best choice about the fireplace or stove to install. This is the only way to quantify the environmental needed heat.

Nominal power kW	m ³ to heat
5 - 8	150 - 200 circa
8 - 12	200 - 300 circa
12 - 20	300 - 500 circa

Referred to the need of 30 kcal/h x m³

PELLET PRODUCTS INDEX

Pag. nr.	Article description	DM186	CT 2.0 (Coefficiente premiante)	Flamme Verte	DTA	BImSchV
10	AMIKA	★★★★	1,5	7★	✓	✓
13	ANNABELLA AD EVO	★★★★★	1,5	7★		✓
25	COMFORT IDRO L80	★★★★	1,5	7★		✓
24	COMFORT P70 AIR	★★★★	1,5	7★		✓
24	COMFORT P70 AIR PLUS	★★★★	1,5	7★		✓
24	COMFORT P70 H49 5.0	★★★★★	1,5	7★		✓
25	COMFORT P85	★★★★	1,5	7★		✓
25	COMFORT P85 PLUS	★★★★	1,5	7★		✓
21	COSTANZA IDRO 5.0	★★★★★	1,5	7★		✓
14	DAHIANA VFS	★★★★	1,5	7★		✓
14	DAHIANA PLUS VFS	★★★★	1,5	7★		✓
07	GIUSY EVO 2.0	★★★★	1,5	7★		✓
07	GIUSY PLUS EVO 2.0	★★★★	1,5	7★		✓
22	ISIDE IDRO 5.0	★★★★★	1,5	7★		✓
05	KETTY 5.0	★★★★★	1,5	7★		✓
11	KLAUDIA 5.0	★★★★★	1,5	7★		✓
11	KLAUDIA PLUS 5.0	★★★★★	1,5	7★		✓
17	LUCIA	★★★★	1,5	7★		✓
18	LUCIA PLUS	★★★★	1,5	7★		✓
05	LUISELLA 5.0	★★★★★	1,5	7★		✓
05	LUISELLA 5.0 MAXI				** Provisional data in phase of homologation	
07	MARIELLA	★★★★★	1,5	7★		✓
07	MARIELLA PLUS	★★★★★	1,5	7★		✓
11	MARILENA PLUS 5.0	★★★★★	1,5	7★		✓
11	MARILENA PLUS AD CRYSTAL	★★★★	1,5	7★	✓	✓
12	MARILENA PLUS PETRA AD	★★★★	1,5	7★	✓	✓
20	MARINA IDRO H11	★★★★★	1,5	7★		✓
21	MARINA IDRO H13	★★★★★	1,5	7★		✓
26	PK15	★★★★★	1,5	7★		✓
26	PK20	★★★★★	1,5	7★		✓
27	PK30	★★★★★	1,5	7★		✓
22	RAFFAELLA IDRO H15 5.0	★★★★	1,5	7★		✓
23	RAFFAELLA IDRO H18 5.0	★★★★★	1,5	7★		✓
15	SOUVENIR PLUS LUX 5.0	★★★★★	1,5	7★		✓
15	SOUVENIR PLUS PETRA 5.0	★★★★★	1,5	7★		✓
15	SOUVENIR PLUS STEEL 5.0	★★★★★	1,5	7★		✓
12	TEODORA EVO	★★★★	1,5	7★		✓
14	TEOREMA	★★★★	1,5	7★		✓
15	TEOREMA PLUS 5.0	★★★★★	1,5	7★		✓
20	VIRNA IDRO	★★★★	1,2	7★		✓

PELLET PRODUCTS INDEX

Pag. nr.	Article description	DM186	CT 2.0 (Coefficiente premiante)	Flamme Verte	DTA	BImSchV
PRESTIGE LINE						
08	ANGELA EVO	★★★★	1,5	7★	✓	✓
08	ANGELA PLUS EVO	★★★★	1,5	7★	✓	✓
08	ANGELICA		** Provisional data in phase of homologation			
08	ANGELICA PLUS		** Provisional data in phase of homologation			
06	ANGY TOP	★★★★	1,5	7★	✓	✓
13	DEBBY	★★★★	1,5	7★	✓	✓
13	DEBBY PLUS EVO	★★★★	1,5	7★	✓	✓
10	GABRIELLA PLUS	★★★★	1,5	7★	✓	✓
09	ILARY TOP	★★★★	1,5	7★	✓	✓
09	ILARY PLUS TOP	★★★★	1,5	7★	✓	✓
06	LINA TOP	★★★★	1,5	7★	✓	✓
09	MIRKA	★★★★★	1,5	7★		✓
09	MIRKA PLUS	★★★★★	1,5	7★		✓
06	MOIRA EVO	★★★★	1,5	7★	✓	✓
10	PAMELA CRYSTAL - BLSC	★★★★	1,5	7★	✓	✓
10	PAMELA STEEL	★★★★	1,5	7★	✓	✓
05	PEGGY	★★★★★	1,5	7★	✓	✓
20	ROSANNA IDRO	★★★★	1,5	7★		✓
06	SABRY 5.0	★★★★★	1,5	7★		✓
13	SHARON PLUS	★★★★	1,5	7★	✓	✓
14	SHARON PLUS STEEL	★★★★	1,5	7★	✓	✓

PELLET PRODUCTS INDEX

Pag. nr.	Article description	DM186	CT 2.0 (Coefficiente premiante)	Flamme Verte	DTA	BImSchV
EVOLUTION LINE						
16	ANNALISA PLUS	*****	1,5	7★	✓	✓
21	EVELYNE IDRO 2.0	★★★★	1,5	7★		✓
21	GUENDA IDRO 5.0	*****	1,5	7★		✓
22	ISIDORA IDRO H16	★★★★	1,5	7★		✓
22	ISIDORA IDRO H20 5.0	*****	1,5	7★		✓
23	ISIDORA IDRO H23 5.0	*****	1,5	7★		✓
12	KATIA 9	★★★★	1,5	7★	✓	✓
16	KATIA 11	★★★★	1,5	7★	✓	✓
19	MARGARET	*****	1,5	7★		✓
12	MIETTA EVO	★★★★	1,5	7★	✓	✓
16	NORIS	*****	1,5	7★	✓	✓
17	NORIS LUX	*****	1,5	7★	✓	✓
17	NORIS PLUS	*****	1,5	7★	✓	✓
17	NORIS PLUS LUX	*****	1,5	7★	✓	✓
26	PR20	*****	1,5	7★		✓
27	PR30	*****	1,5	7★		✓
16	SINFONY	★★★★	1,5	7★	✓	✓
18	TERRY PLUS	★★★★	1,5	7★	✓	✓

WOOD-BURNING PRODUCTS INDEX

Pag. nr.	Article description	DM186	CT 2.0 (Coefficiente premiante)	Flamme Verte	BImSchV
30	ASIA BII *	★★★★		7★	✓
30	BRIGITTA GB	★★★★		7★	✓
30	CANDY 4.0	★★★★	1,5	7★	✓
37	CONCITA 2.0	★★★★★	1,5	7★	✓
37	CONCITA 2.0 - STEEL	★★★★★	1,5	7★	✓
31	EMILIANA	★★★★★	1,5	7★	✓
31	EMILIANA - STEEL	★★★★★	1,5	7★	✓
34	ESTER BII *	★★★★		7★	✓
34	ESTER FORNO EVO *	★★★★	1,5	7★	✓
43	FAMILY 4,5	★★★★		7★	✓
35	FEDORA	★★★★★	1,5	7★	✓
35	FEDORA - STEEL	★★★★★	1,5	7★	✓
32	GEMMA	★★★★		7★	✓
32	GEMMA FORNO 5.0	★★★★★	1,5	7★	✓
32	GEMMA FORNO 5.0 PETRA	★★★★★	1,5	7★	✓
31	GIULIETTA X 4.0	★★★★		7★	✓
52	INSERTO 100 WIDE.16	★★★★		7★	✓
51	INSERTO 60 4.0 - VENTILATO	★★★★		7★	✓
52	INSERTO 70 4.0 - VENTILATO	★★★★		7★	✓
53	INSERTO 70 EOS		** Provisional data in phase of homologation		
51	INSERTO 70 H49 4.0 - VENTILATO	★★★★		7★	✓
53	INSERTO 70 LEAN		** Provisional data in phase of homologation		
52	INSERTO 70 PRS WIDE *	★★★★	1,5	7★	✓
52	INSERTO 70 WIDE *	★★★★	1,5	7★	✓
51	INSERTO 80 CRYSTAL EVO 2.0 - VENTILATO	★★★★		7★	✓
53	INSERTO 80 WIDE 5.0	★★★★★	1,5	7★	✓
32	ISSETTA CON CERCHI.16	★★★★		7★	✓
33	ISSETTA.16	★★★★		7★	✓
38	ISOTTA CON CERCHI.16	★★★★		7★	✓
36	ISOTTA FORNO EVO	★★★★	1,5	7★	✓
38	ISOTTA.16	★★★★		7★	✓
34	JENNIFER 2.0	★★★★		7★	✓
41	LORJET S DSA *	★★★★	1,2		✓
33	MARLENA 5.0	★★★★★	1,5	7★	✓
54	MONOBLOCCO 800 ANGOLO SX *	★★★★		7★	✓

* While stocks last

WOOD-BURNING PRODUCTS INDEX

Pag. nr.	Article description	DM186	CT 2.0 (Coefficiente premiante)	Flamme Verte	BImSchV
46	ROSA 5.0 CERAMICA	*****		7★	✓
46	ROSA 5.0 MAIOLICA	*****		7★	✓
46	ROSA 5.0 - PETRA	*****		7★	✓
46	ROSA 5.0 - STEEL	*****		7★	✓
47	ROSA L 5.0 - STEEL	*****		7★	✓
44	ROSA REVERSE 2.0	*****		7★	✓
45	ROSA SINISTRA REVERSE	*****		7★	✓
45	ROSA SINISTRA REVERSE PETRA	*****		7★	✓
48	ROSA XXL 5.0 STEEL	*****		7★	✓
48	ROSA XXL 5.0 STEEL PETRA	*****		7★	✓
43	ROSETTA 5.0	*****		7★	✓
44	ROSETTA 5.0 MAIOLICA	*****		7★	
44	ROSETTA SINISTRA 5.0	*****		7★	✓
44	ROSETTA SINISTRA 5.0 - STEEL	*****		7★	✓
36	ROSSELLA PLUS FORNO 5.0	*****	1,5	7★	✓
36	ROSSELLA PLUS FORNO 5.0 PETRA	*****	1,5	7★	✓
35	ROSSELLA R1 5.0	*****	1,5	7★	✓
35	ROSSELLA R1 5.0 PETRA	*****	1,5	7★	✓
43	SOVRANA EASY EVO 2.0	★★★★		7★	✓
30	SUPER JUNIOR	★★★★		7★	✓
47	SUPREMA 4.0 *	*****		7★	✓
31	TEA 5.0	*****	1,5	7★	✓
55	TERMOCAMINO WF PLUS DSA	★★★★	1,5	7★	✓
40	TERMOISOTTA DSA *	★★★★			✓
49	TERMOROSA DSA	★★★		7★	✓
49	TERMOROSA XXL DSA	★★★		7★	✓
40	TERMOROSSELLA PLUS EVO DSA 4.0	★★★★	1,5	7★	✓
40	TERMOROSSELLA PLUS FORNO DSA 4.0	★★★★	1,5	7★	✓
40	TERMOROSSELLA PLUS FORNO DSA 4.0 PETRA	★★★★	1,5	7★	✓
49	TERMOSOVRAANA DSA *	★★★		7★	✓
50	TERMOSUPREMA COMPACT DSA *	★★★		7★	✓
45	VENEZIA	*****		7★	✓
42	VERONA XXL	★★★★		7★	✓
42	VERONA XXL MAIOLICA	★★★★		7★	✓
43	VERONA XXL PETRA	★★★★		7★	✓
42	VICENZA EVO	★★★★		7★	✓

* While stocks last

WOOD-BURNING PRODUCTS INDEX

Pag. nr.	Article description	DM186	CT 2.0 (Coefficiente premiante)	Flamme Verte	BImSchV
PRESTIGE LINE					
48	ALASKA	☆☆☆☆☆		7★	✓
38	DANTE 5.0	☆☆☆☆☆	1,5	7★	✓
38	DANTE 5.0 CON PORTALEGNA	☆☆☆☆☆	1,5	7★	✓
47	GARDENIA 5.0	☆☆☆☆☆		7★	✓
47	GARDENIA XXL	** Provisional data in phase of homologation			
37	LAVINIA EOS	** Provisional data in phase of homologation			
33	LIÙ 5.0	☆☆☆☆☆	1,5	7★	✓
33	LIÙ 5.0 PETRA	☆☆☆☆☆	1,5	7★	✓
45	MILLY	★★★★		7★	✓
54	MONOBLOCCO 3LC.16	★★★★		7★	✓
54	MONOBLOCCO 90PA 2.0	☆☆☆☆☆	1,5	7★	✓
36	NOVA FORNO	☆☆☆☆☆	1,5	7★	✓
37	NOVA FORNO STEEL	☆☆☆☆☆	1,5	7★	✓
41	SIERRA	☆☆☆☆☆	1,5	7★	✓
34	TAHITI *	★★★★	1,5	7★	✓
EVOLUTION LINE					
39	LARISSA	☆☆☆☆☆	1,5	7★	✓



Italian Regulation for the Environmental Certificate release of domestic solid fuels biomass room heaters (Classification from 1 up to 5 stars).

BImSchV

German regulations on controlling emissions.



Only for Italy: the Ministerial Decree 28/12/12, better known as “Conto Termine”, allows a specific incentive in case of replacement of old appliances by new ones with certain characteristics

ECODESIGN

European certification defining the ecodesign guidelines for biomass products.



French trademark of the ADEME agency for the environment and the energy. The products “Flamme Verte” approved guarantee the best high energy performances and respect for the environment.

MFB

Only for Germany: The products is ready to be connected to a multiply chimney connection , just when the installation is made in accordance with requirements of the regional and national standards, and when observed the norms DIN EN 13384-2, DIN V 1816-1, DIN 18896 and MFeuV-2007 (Muster-Feuerungsverordnung), and that the district chimney sweeper has checked and approved the correct installation.



Certification issued by the French Scientific and Technical Building Centre – CSTB – for watertight devices tested in watertight installation conditions.



Certification issued by the German Federal Office for Economics and Export Control to promote the efficient use of biomass energy.

LEGEND, ENERGY LABEL, COLOURS AND NOTE

LEGEND

kW-N: Nominal thermal power (kW)
kW-H₂O: Power given back to water (kW)
m³: Heatable m³ (30 kcal/h x m³)
%: Efficiency (%)
kg/ℓ: Tank total capacity (kg-l)
kg/h: Hourly consumption (kg/h)
Ø mm: Smoke outlet diameter (mm)
 T = Top
 B = Back
 RH Side = Right side
 LH Side = Left side

Dim. WxHxD: Dimensions WxHxD (mm)
kg: Net weight (kg)
W: Electric consumption (W)
bar: Working pressure (bar)
Oven capacity: Oven size (l)



AIR-TIGHT: Air-tight combustion chamber and tank: technology and innovation at the service of your safety.

ENERGY LABEL

The energy label for the biomass products.

From 1st January 2018 the Energy Labelling Regulation comes into force also for all the biomass heating appliances, both roomheater appliances and appliances designed to heat the water for central heating and domestic hot water. This directive, in accordance with the regulations of the European Union, will assign an Energy Efficiency Class (from G up to A++) providing the buyers with information about the consumption and the efficiency.



COLOURS

AVOR	Ivory
AGAT	Agate Grey
BIAN	White
BIIN	White Infinity
BIPU	Dotted White
BORD	Bordeaux
BRNZ	Bronze
BRWN	Brown
CAPP	Cappuccino
FUME	Smoked
GRLC	Grigio Luce
INOX	Inox
MASF	Soft Brown

NEVT	Glazed Black
NERO	Black
NEAN	Anthracite Black
PANN	Panna
PERG	Parchment
NATU	Natural Stone
SVAM	Silk Vogue Ametista
TITA	Titanium
TOMA	Matt Taupe
TORT	Taupe
VERD	Green
VGAM	Amethyst
VLCN	Vulcan

NOTE

Note: Before the purchase, ask to your reseller all the information regarding the appliance. One must also bear in mind all laws and national, regional, provincial and town council Standards present in the country in which the appliance has been installed, as well as the instructions contained in this manual.

- The images contained in this document are for product illustration purposes only and do not represent indications for the performance or technical characteristics of the same.
- La Nordica products must be connected to chimneys having a draught between 10 Pa and 17 Pa as indicated by the instruction manual which is supplied along with any product. The Thermoproducts must be connected to chimneys with a draught between 17 Pa and 20 Pa.
- Due to printing reasons the reproduction of colours has to be considered only indicative.
- The fuel quantity (weight) inside the tank and the hour consumption can change depending on the type of pellet which is used.
- All the figures were measured using approved pellets in compliance with EN ISO 17225-2.
- The data in the catalogue can be rounded off to the first decimal.
- Facing tones and characteristics are subject to slight variations because they are natural products.

- The manufacturer reserves the right to modify products without giving advance notice.
- The La Nordica-Extraflame products can be covered by industrial property rights (such as patents, designs and trademarks) owned by La Nordica-Extraflame exclusively. It is strictly forbidden to violate these rights as for removing, cancelling or corrupting the trademarks impressed on the products and impressing others.
- Due to its nature, natural stone material, such as marble, is subject to aesthetic variations in shade, colour and grain pattern when comparing one piece to another and also to a sample. Therefore, any differences are to be considered particular characteristics and distinctive elements of the material itself that certify the uniqueness, which is the absolute value of this type of product.
- La Nordica-Extraflame products are approved to work with 230V 50Hz power supply only. The use with different voltages and / or frequencies supply can compromise the functionality and safety of the products.



FEELING COSY AT HOME
A natural choice

 **NORDICA**[®]
Extraflame
Warms up your life.





La Nordica S.p.A. (Wood products)

Via Summano, 104 • 36030 Montecchio Precalcino - Vicenza - Italy

Tel. +39 0445 804000

info@lanordica.com

Extraflame S.p.A. (Pellet products)

Via dell'Artigianato, 12 • 36030 Montecchio Precalcino - Vicenza - Italy

Tel. +39 0445 865911

info@extraflame.it

www.lanordica-extraflame.com

