



2026 
POCKET



LA NORDICA

LUMEN

LUMEN	8
-------	---

Wood stoves

WOOD STOVES	12
AUTOMATIC WOOD STOVES	21
WOOD HEATING STOVES	22

Woodburning cookers

WOOD COOKERS	24
--------------	----

Wood burning fireplaces

WOOD INSERTS	32
WOOD MONOBLOCKS	34
WOOD THERMO FIREPLACES	35

EXTRAFLAME

Hybrid Stoves

HYBRID STOVES	38
---------------	----

Pellet stoves

PELLET STOVES	39
PELLET HEATING STOVES	52

Pellet fireplaces

PELLET INSERTS	56
----------------	----

Pellet Boilers

PELLET BOILERS	58
----------------	----

TRADITIONAL LINE

Wood Stoves	Wood Cookers	Pellet Stoves
BRIGITTA.16 12	VICENZA.16..... 24	LUISELLA 5.0 39
SUPER JUNIOR LEAN 12	VERONA XXL.16 PETRA..... 24	LUISELLA 5.0 MAXI..... 39
EMILIANA.165 12	VERONA XXL.16 MAIOLICA..... 24	KETTY 5.0 39
EMILIANA.165 STEEL..... 12	VERONA XXL.16..... 24	MARIELLA..... 40
GEMMA LEAN CERAMICA..... 13	FAMILY.16 4,5 25	MARIELLA PLUS 40
GEMMA LEAN PETRA..... 13	SOVRANA EASY.16..... 25	AMIKA EVO..... 41
GEMMA FORNO.165 CERAMICA..... 13	ROSETTA SX.16 CERAMICA..... 25	AMIKA PETRA EVO..... 41
GEMMA FORNO.165 PETRA..... 13	ROSETTA SX.16 PETRA 25	KLAUDIA 5.0 EVO 42
GIULIETTA.165..... 14	ROSETTA SX.16 STEEL 26	KLAUDIA PLUS 5.0 EVO..... 43
CANDY LEAN..... 14	ROSETTA.16 CERAMICA..... 26	MARILENA PLUS 5.0.16 43
ASIA 5.0 14	ROSETTA.16 PETRA 26	MARILENA PLUS PETRA 5.0.16..... 43
TEA.16 14	ROSETTA.16 MAIOLICA..... 26	MARILENA PLUS CRYSTAL 5.0.16..... 43
MARLENA.16..... 15	ROSA SX REVERSE.16 CERAMICA..... 27	TEODORA EVO..... 44
ISETTA LEAN..... 15	ROSA SX REVERSE.16 PETRA..... 27	ANNABELLA AD EVO..... 44
ISETTA CC LEAN..... 16	ROSA L.16 STEEL 27	DAHIANA 5.0 EVO 46
JENNIFER.16..... 16	ROSA XXL.16 PETRA 27	DAHIANA PLUS VFS 47
ESTER 5.0..... 16	ROSA XXL.16 MAIOLICA 28	SOUVENIR PLUS LUX 5.0..... 48
ESTER FORNO 5.0..... 16	ROSA XXL.16 STEEL..... 28	SOUVENIR PLUS PETRA 5.0..... 48
FEDORA.16..... 17	VENEZIA.16..... 28	SOUVENIR PLUS STEEL 5.0..... 48
FEDORA.16 STEEL..... 17	ROSA.16 CERAMICA..... 29	TEOREMA..... 48
ROSSELLA R1.16 CERAMICA..... 17	ROSA.16 PETRA..... 29	TEOREMA PLUS AD..... 49
ROSSELLA R1.16 PETRA..... 17	ROSA.16 MAIOLICA..... 29	LUCIA.16..... 51
ROSSELLA PLUS FORNO.165 CERAMICA..... 18	ROSA.16 STEEL..... 29	LUCIA PLUS.16 51
ROSSELLA PLUS FORNO.165 PETRA..... 18	SUPREMA.16..... 30	
ISOTTA LEAN 18		
ISOTTA CC LEAN..... 18		
ISOTTA FORNO.16..... 19		
CONCITA.16 19		
CONCITA.16 STEEL..... 19		

Wood Heating Stoves
TERMOROSA DSA.16 CERAMICA 22
TERMOROSA DSA.16 PETRA..... 22
TERMOROSA XXL DSA.16 STEEL..... 22
TERMOROSSELLA PLUS FORNO DSA.16 CERAMICA..... 22
TERMOROSSELLA PLUS FORNO DSA.16 PETRA..... 23
TERMOROSSELLA PLUS DSA.16 CERAMICA..... 23
TERMOROSSELLA PLUS DSA.16 PETRA..... 23

Wood Inserts
INSERTO 60.16..... 32
INSERTO 70 H49.16..... 32
INSERTO 80 CRYSTAL EVO.16..... 32
INSERTO 70.165 32
INSERTO 70 LEAN..... 33
INSERTO 100 WIDE.16..... 33
INSERTO 80 WIDE.16 33

Wood Thermo Fireplaces
TERMOCAMINO WF PLUS.16..... 35

Pellet Inserts
COMFORT P70 H49 5.0 56
COMFORT P70 AIR..... 56
COMFORT P70 AIR PLUS..... 56
COMFORT P85..... 56
COMFORT P85 PLUS..... 57
COMFORT IDRO L80.16 57

Pellet Boilers
PK15..... 58
PK20..... 58
PK30..... 58

EVOLUTION LINE



Automatic Wood Stoves	Pellet Heating Stoves
LARISSA.16..... 21	GUENDA IDRO 5.0 53
	EVELYNE IDRO 2.0..... 53
	ISIDORA IDRO H16 5.0.16..... 53
	ISIDORA IDRO H20 5.0 EVO 54
	ISIDORA IDRO H23 5.0 EVO 54

Pellet Stoves	Pellet Boilers
KATIA 9 5.0 EVO 46	PR20 58
KATIA 11..... 46	PR30 59
MIETTA EVO 46	
SINFONY 49	
ANNALISA PLUS CRYSTAL..... 49	
ANNALISA PLUS GRES..... 49	
NORIS..... 50	
NORIS LUX..... 50	
NORIS PLUS..... 50	
NORIS PLUS LUX..... 50	
TERRY PLUS 51	

Hybrid Stoves
MARGARET GRES 38
MARGARET PETRA..... 38

PRESTIGE LINE



Wood Stoves	Wood Cookers	Pellet Stoves
LIÙ.16 PETRA..... 15	MILLY.16..... 28	PEGGY 39
LIÙ.16..... 15	GARDENIA.16 PETRA 30	ANGY TOP 40
LAVINIA EOS..... 19	GARDENIA.16 STEEL..... 30	LINA TOP 40
NOVA FORNO.16..... 20	GARDENIA XXL PETRA..... 30	MOIRA EVO..... 41
NOVA FORNO.16 STEEL..... 20	GARDENIA XXL STEEL..... 31	SABRY 5.0 EVO 41
DANTE.16..... 20	GARDENIA XXL CERAMICA 31	ANGELICA EVO..... 42
DANTE.16 CON PORTALEGNA..... 20	ALASKA.16..... 31	ANGELICA PLUS EVO..... 42
		GABRIELLA PLUS..... 42
		PAMELA STEEL..... 44
		PAMELA CRYSTAL - BLSC..... 44
		DEBBY EVO..... 45
		DEBBY PETRA EVO..... 45
		DEBBY PLUS EVO..... 45
		DEBBY PLUS PETRA EVO..... 45
		SHARON PLUS PETRA..... 47
		SHARON PLUS CRYSTAL 47
		SHARON PLUS STEEL..... 47

Wood Heating Stoves	Wood Monoblocks
SIERRA.16 23	MONOBLOCCO 3LC.165..... 34
	MONOBLOCCO 90PA.16 34

Lumen
LUMEN 870 8
LUMEN 1200..... 8
LUMEN 1600..... 8
LUMEN 870 CLADDING KIT..... 9
LUMEN 1200 CLADDING KIT..... 9
LUMEN 1600 CLADDING KIT..... 9

Pellet Heating Stoves
ROSANNA IDRO 5.0..... 52



LUMEN



LUMEN 870

kW-N (min-max) 0 - 2
Dim. LxHxP 870 x 469 x 319
kg 37
W 21



LUMEN 1200

kW-N (min-max) 0 - 2
Dim. LxHxP 1200 x 569 x 319
kg 54
W 27



LUMEN 1600

kW-N (min-max) 0 - 2
Dim. LxHxP 1600 x 569 x 319
kg 72
W 32



CLADDING KIT 870

Dim. LxHxP 1370 x 531 x 408
kg 15



CLADDING KIT 1200

Dim. LxHxP 1700 x 631 x 408
kg 19



CLADDING KIT 1600

Dim. LxHxP 2100 x 631 x 408
kg 23





WOOD STOVES



BRIGITTA.16

Enamelled cast iron wood stove



Black

kW-N	4,7
%	81
m³	135
kg/h	1,4
Dim. WxHxD	404 x 640 x 397
kg	70
Ø mm	120 T
Max. wood length	25



GEMMA LEAN CERAMICA

Wood-burning stove



Elegance Bordeaux



Elegance White Infinity



Liberty Panna

kW-N	6,5
%	80
m³	186
kg/h	1,9
Dim. WxHxD	460 x 842 x 460
kg	87
Ø mm	120 T
Max. wood length	25



SUPER JUNIOR LEAN

Wood-burning stove



Green



Black

kW-N	5,7
%	80
m³	163
kg/h	1,6
Dim. WxHxD	356 x 802 x 423
kg	64
Ø mm	120 T
Max. wood length	19



GEMMA LEAN PETRA

Wood-burning stove



Natural Stone

kW-N	6,5
%	80
m³	186
kg/h	1,9
Dim. WxHxD	460 x 900 x 495
kg	87
Ø mm	120 T
Max. wood length	25



EMILIANA.165

Wood-burning stove



Bordeaux



White Infinity

kW-N	6,5
%	86
m³	186
kg/h	1,8
Dim. WxHxD	453 x 1002 x 490
kg	135
Ø mm	120 T
Max. wood length	23



GEMMA FORNO.165 CERAMICA

Wood-burning stove with oven



Elegance Bordeaux



Elegance White Infinity

kW-N	7,3
%	86
m³	209
kg/h	1,9
Dim. WxHxD	460 x 1265 x 495
kg	125
Ø mm	120 T
PP (13% O ₂)	11
Oven Dim. (WxHxD)	227 x 296 x 290
Oven capacity (L)	20
Max. wood length	25



EMILIANA.165 STEEL

Wood-burning stove



Anthracite Black

kW-N	6,5
%	86
m³	186
kg/h	1,8
Dim. WxHxD	453 x 1002 x 490
kg	121
Ø mm	120 T
Max. wood length	23



GEMMA FORNO.165 PETRA

Wood-burning stove with oven



Natural Stone

kW-N	7,3
%	86
m³	209
kg/h	1,9
Dim. WxHxD	460 x 1265 x 495
kg	140
Ø mm	120 T
PP (13% O ₂)	11
Oven Dim. (WxHxD)	227 x 296 x 290
Oven capacity (L)	20
Max. wood length	25





GIULIETTA.165

Enamelled cast iron wood stove



Anthracite Black

kW-N	6,5
%	80
m³	186
kg/h	1,9
Dim. WxHxD	487 x 750 x 430
kg	115
Ø mm	120 B/T
Max. wood length	30



LIÙ.16 PETRA

Wood-burning stove



Natural Stone

BBC

kW-N	7,5
%	86
m³	215
kg/h	2,0
Dim. WxHxD	528 x 1562 x 508
kg	201
Ø mm	130 T
Max. wood length	30



CANDY LEAN

Enamelled cast iron wood stove



Anthracite Black

kW-N	6,6
%	80
m³	189
kg/h	1,9
Dim. WxHxD	404 x 890 x 362
kg	85
Ø mm	120 T
Max. wood length	30



LIÙ.16

Wood-burning stove



Bordeaux



White Infinity

BBC

kW-N	7,5
%	86
m³	215
kg/h	2,0
Dim. WxHxD	537 x 1562 x 508
kg	170
Ø mm	130 T
Max. wood length	30



ASIA 5.0

Wood-burning stove



Vulcan

kW-N	7,0
%	86
m³	201
kg/h	1,8
Dim. WxHxD	438 x 1385 x 400
kg	154
Ø mm	120 T
Max. wood length	25



MARLENA.16

Enamelled cast iron wood stove



Anthracite Black

BBC

kW-N	7,5
%	86
m³	215
kg/h	2,0
Dim. WxHxD	465 x 1562 x 475
kg	140
Ø mm	130 T
Max. wood length	30



TEA.16

Wood-burning stove



Anthracite Black



White

kW-N	7,0
%	86
m³	201
kg/h	1,8
Dim. WxHxD	414 x 1346 x 419
kg	79
Ø mm	120 T
Max. wood length	22



ISETTA LEAN

Enamelled cast iron wood stove



Anthracite Black

kW-N	7,7
%	80
m³	221
kg/h	2,2
Dim. WxHxD	661 x 707 x 594
kg	163
Ø mm	150 B/T
Max. wood length	28





ISETTA CC LEAN

Enamelled cast iron wood stove



Anthracite Black

kW-N	7,7
%	80
m³	221
kg/h	2,2
Dim. WxHxD	661 x 759 x 594
kg	171
Ø mm	150 B/T
Max. wood length	28



JENNIFER.16

Enamelled cast iron wood stove



Anthracite Black



kW-N	7,7
%	80
m³	221
kg/h	2,3
Dim. WxHxD	702 x 870 x 478
kg	141
Ø mm	150 T
Max. wood length	50



ESTER 5.0

Wood-burning stove



Vulcan

kW-N	8,0
%	86
m³	229
kg/h	2,2
Dim. WxHxD	540 x 1331 x 487
kg	243
Ø mm	130 T
PP (13% O₂)	10
Max. wood length	25



ESTER FORNO 5.0

Wood-burning stove with oven



Vulcan

kW-N	8,0
%	86
m³	229
kg/h	2,2
Dim. WxHxD	540 x 1512 x 485
kg	317
Ø mm	130 T
PP (13% O₂)	10
Oven Dim. (WxHxD)	268 x 238 x 338
Oven capacity (L)	22
Max. wood length	25



FEDORA.16

Wood-burning stove



White Infinity



Bordeaux

kW-N	8,3
%	86
m³	238
kg/h	2,3
Dim. WxHxD	559 x 1035 x 547
kg	175
Ø mm	130 T
PP (13% O₂)	10
Max. wood length	30



FEDORA.16 STEEL

Wood-burning stove



Anthracite Black

kW-N	8,3
%	86
m³	238
kg/h	2,3
Dim. WxHxD	559 x 1035 x 547
kg	150
Ø mm	130 T
PP (13% O₂)	10
Max. wood length	30



ROSSELLA R1.16 CERAMICA

Wood-burning stove



Liberty Bordeaux



Liberty White Infinity



Liberty Panna

kW-N	9,0
%	86
m³	258
kg/h	2,4
Dim. WxHxD	578 x 1423 x 586
kg	155
Ø mm	130 T
PP (13% O₂)	10
Max. wood length	33



ROSSELLA R1.16 PETRA

Wood-burning stove



Natural Stone

kW-N	9,0
%	86
m³	258
kg/h	2,4
Dim. WxHxD	578 x 1423 x 586
kg	170
Ø mm	130 T
PP (13% O₂)	10
Max. wood length	33





ROSSELLA PLUS FORNO.165 CERAMICA

Wood-burning stove with oven



Bordeaux



Liberty Panna

kW-N	9,4
%	86
m³	270
kg/h	2,5
Dim. WxHxD	559 x 1411 x 536
kg	195
Ø mm	130 T
PP (13% O ₂)	12
Oven Dim. (WxHxD)	330 x 300 x 370
Oven capacity (L)	37
Max. wood length	30



ROSSELLA PLUS FORNO.165 PETRA

Wood-burning stove with oven



Natural Stone

kW-N	9,4
%	86
m³	270
kg/h	2,5
Dim. WxHxD	559 x 1411 x 536
kg	219
Ø mm	130 T
PP (13% O ₂)	12
Oven Dim. (WxHxD)	330 x 300 x 370
Oven capacity (L)	37
Max. wood length	30



ISOTTA LEAN

Enamelled cast iron wood stove



Anthracite Black

kW-N	9,3
%	80
m³	267
kg/h	2,7
Dim. WxHxD	790 x 775 x 660
kg	212
Ø mm	150 B/T
PP (13% O ₂)	9
Max. wood length	0



ISOTTA CC LEAN

Enamelled cast iron wood stove



Anthracite Black

kW-N	9,3
%	80
m³	267
kg/h	2,7
Dim. WxHxD	790 x 830 x 660
kg	223
Ø mm	150 B/T
PP (13% O ₂)	9
Max. wood length	0



ISOTTA FORNO.16 *

Wood-burning stove with oven



Anthracite Black *

*Hasta agotar existencias

kW-N	9,7
%	86
m³	278
kg/h	2,7
Dim. WxHxD	790 x 1244 x 530
kg	300
Ø mm	150 T
Oven Dim. (WxHxD)	443 x 290 x 305
Oven capacity (L)	39
Max. wood length	30



LAVINIA EOS

PRESTIGE

Catalytic cast iron wood stove



Anthracite Black

BBC

kW-N	11,7
%	86
m³	336
kg/h	3,1
Dim. WxHxD	773 x 1213 x 685
kg	252
Ø mm	150 T
PP (13% O ₂)	6
Max. wood length	21



CONCITA.16

Wood stove with heat recovery system



White Infinity



Bordeaux

kW-N	11,8
%	86
m³	338
kg/h	3,2
Dim. WxHxD	559 x 1545 x 569
kg	185
Ø mm	150 T
Max. wood length	30



CONCITA.16 STEEL

Wood stove with heat recovery system



Anthracite Black

kW-N	11,8
%	86
m³	338
kg/h	3,2
Dim. WxHxD	559 x 1545 x 569
kg	157
Ø mm	150 T
Max. wood length	30





NOVA FORNO.16

PRESTIGE

Wood-burning stove with oven



Bordeaux



Matt White

kW-N	11,8
%	86
m³	338
kg/h	3,2
Dim. WxHxD	559 x 1496 x 569
kg	256
Ø mm	150 T
Oven Dim. (WxHxD)	330 x 300 x 370
Oven capacity (L)	37
Max. wood length	30



NOVA FORNO.16 STEEL

PRESTIGE

Wood-burning stove with oven



Anthracite Black

kW-N	11,8
%	86
m³	338
kg/h	3,2
Dim. WxHxD	559 x 1496 x 569
kg	217
Ø mm	150 T
Oven Dim. (WxHxD)	330 x 300 x 370
Oven capacity (L)	37
Max. wood length	30



DANTE.16

PRESTIGE

Wood-burning stove



Matte Black

kW-N	12,4
%	86
m³	356
kg/h	3,3
Dim. WxHxD	822 x 1514 x 593
kg	158
Ø mm	160 T
PP (13% O ₂)	12
Max. wood length	30



BBC



DANTE.16 CON PORTALEGNA

PRESTIGE

Wood-burning stove



Matte Black

kW-N	12,4
%	86
m³	356
kg/h	3,3
Dim. WxHxD	822 x 1938 x 593
kg	183
Ø mm	160 T
PP (13% O ₂)	12
Max. wood length	30



BBC



LARISSA.16

Evolution

Wood-burning stove with automatic combustion air control



Anthracite Black

kW-N	9,3
%	86
m³	267
kg/h	2,5
Dim. WxHxD	628 x 1226 x 483
kg	202
Ø mm	130 B/T
PP (13% O ₂)	10
W	2
Max. wood length	33



BBC



TERMOROSA DSA.16 CERAMICA

wood-burning thermo stove



Bordeaux

*Producto certificado según EN16510-2-1

kW-N	11,0
kW-H ₂ O	7,0
%	86
m ³	315
kg/h	3,1
Dim. WxHxD	1030 x 855 x 664
kg	217
Ø mm	150 B/T
Oven Dim. (WxHxD)	330 x 300 x 410
Oven capacity (L)	41
bar	3
Max. wood length	30



TERMOROSA DSA.16 PETRA

wood-burning thermo stove



Natural Stone

*Producto certificado según EN16510-2-1

kW-N	11,0
kW-H ₂ O	7,0
%	86
m ³	315
kg/h	3,1
Dim. WxHxD	1030 x 855 x 664
kg	231
Ø mm	150 B/T
Oven Dim. (WxHxD)	330 x 300 x 410
Oven capacity (L)	41
bar	3
Max. wood length	30



TERMOROSA XXL DSA.16 STEEL

wood-burning thermo stove



Anthracite Black

*Producto certificado según EN16510-2-1



kW-N	16,8
kW-H ₂ O	10,3
%	86
m ³	482
kg/h	4,6
Dim. WxHxD	1075 x 861 x 696
kg	286
Ø mm	160 B/T
Oven Dim. (WxHxD)	307 x 418 x 430
Oven capacity (L)	55
bar	3
Max. wood length	30



TERMOROSSELLA PLUS FORNO DSA.16 CERAMICA

Wood-burning thermo stove with oven



Bordeaux



Panna

kW-N	11,1
kW-H ₂ O	8,0
%	86
m ³	318
kg/h	3,1
Dim. WxHxD	559 x 1359 x 533
kg	218
Ø mm	130 T
Oven Dim. (WxHxD)	330 x 300 x 370
Oven capacity (L)	37
bar	3
Max. wood length	30



TERMOROSSELLA PLUS FORNO DSA.16 PETRA

Wood-burning thermo stove with oven



Natural Stone

kW-N	11,1
kW-H ₂ O	8,0
%	86
m ³	318
kg/h	3,1
Dim. WxHxD	559 x 1359 x 533
kg	242
Ø mm	130 T
Oven Dim. (WxHxD)	330 x 300 x 370
Oven capacity (L)	37
bar	3
Max. wood length	30



TERMOROSSELLA PLUS DSA.16 CERAMICA

wood-burning thermo stove



Bordeaux



Panna

kW-N	11,1
kW-H ₂ O	8,0
%	86
m ³	318
kg/h	3,1
Dim. WxHxD	559 x 915 x 533
kg	162
Ø mm	130 T
bar	3
Max. wood length	30



TERMOROSSELLA PLUS DSA.16 PETRA

wood-burning thermo stove



Natural Stone

kW-N	11,1
kW-H ₂ O	8,0
%	86
m ³	318
kg/h	3,1
Dim. WxHxD	559 x 915 x 533
kg	175
Ø mm	130 T
bar	3
Max. wood length	30



SIERRA.16

PRESTIGE

Wood-burning thermo stove with open tank system and closed circuit



Anthracite Black

*Producto certificado según EN16510-2-1



kW-N	15,4
kW-H ₂ O	10,2
%	86
m ³	442
kg/h	4,1
Dim. WxHxD	1252 x 858 x 665
kg	310
Ø mm	150 B/T
Oven Dim. (WxHxD)	333 x 363 x 430
Oven capacity (L)	51
W	2
bar	0
Max. wood length	33





VICENZA.16

Insertion or free-standing wood burning cooker



BBC

kW-N	6,0
%	86
m³	172
kg/h	1,6
Dim. WxHxD	600 x 850 x 600
kg	137
Ø mm	120 T/B/RH side/LH side
Oven Dim. (WxHxD)	350 x 175 x 410
Oven capacity (L)	25
Max. wood length	27



VERONA XXL.16 PETRA

Free-standing wood burning cooker



BBC

kW-N	7,1
%	85
m³	204
kg/h	2,0
Dim. WxHxD	800 x 910 x 600
kg	206
Ø mm	150 B/T
Oven Dim. (WxHxD)	547 x 275 x 450
Oven capacity (L)	68
Max. wood length	30



VERONA XXL.16 MAIOLICA

Free-standing wood burning cooker



BBC

kW-N	7,1
%	85
m³	204
kg/h	2,0
Dim. WxHxD	800 x 910 x 600
kg	200
Ø mm	150 B/T
Oven Dim. (WxHxD)	547 x 275 x 450
Oven capacity (L)	68
Max. wood length	30



VERONA XXL.16

Insertion or free-standing wood burning cooker



BBC

kW-N	7,1
%	85
m³	204
kg/h	2,0
Dim. WxHxD	800 x 850 x 600
kg	175
Ø mm	150 T/B/RH side/LH side
Oven Dim. (WxHxD)	547 x 275 x 450
Oven capacity (L)	68
Max. wood length	30



FAMILY.16 4,5

Wood-burning cooker



BBC

kW-N	7,5
%	81
m³	215
kg/h	2,2
Dim. WxHxD	964 x 895 x 642
kg	125
Ø mm	130 T
Oven Dim. (WxHxD)	330 x 300 x 410
Oven capacity (L)	41
Max. wood length	30



SOVRANA EASY.16

Wood-burning cooker



BBC

kW-N	7,5
%	81
m³	215
kg/h	2,2
Dim. WxHxD	964 x 860 x 641
kg	140
Ø mm	130 B/T
Oven Dim. (WxHxD)	330 x 300 x 410
Oven capacity (L)	41
Max. wood length	30



ROSETTA SX.16 CERAMICA

Wood-burning cooker



BBC

kW-N	7,9
%	86
m³	227
kg/h	2,1
Dim. WxHxD	885 x 843 x 572
kg	153
Ø mm	130 B/T
Oven Dim. (WxHxD)	245 x 300 x 384
Oven capacity (L)	28
Max. wood length	30



ROSETTA SX.16 PETRA

Wood-burning cooker



BBC

kW-N	7,9
%	86
m³	227
kg/h	2,1
Dim. WxHxD	885 x 843 x 572
kg	167
Ø mm	130 B/T
Oven Dim. (WxHxD)	245 x 300 x 384
Oven capacity (L)	28
Max. wood length	30





ROSETTA SX.16 STEEL

Wood-burning cooker



kW-N	7,9
%	86
m³	227
kg/h	2,1
Dim. WxHxD	885 x 843 x 572
kg	139
Ø mm	130 B/T
Oven Dim. (WxHxD)	245 x 300 x 384
Oven capacity (L)	28
Max. wood length	30



ROSETTA.16 CERAMICA

Wood-burning cooker



kW-N	7,9
%	86
m³	227
kg/h	2,1
Dim. WxHxD	885 x 843 x 572
kg	153
Ø mm	130 B/T
Oven Dim. (WxHxD)	245 x 300 x 384
Oven capacity (L)	28
Max. wood length	30



ROSETTA.16 PETRA

Wood-burning cooker



kW-N	7,9
%	86
m³	227
kg/h	2,1
Dim. WxHxD	885 x 843 x 572
kg	167
Ø mm	130 B/T
Oven Dim. (WxHxD)	245 x 300 x 384
Oven capacity (L)	28
Max. wood length	30



ROSETTA.16 MAIOLICA

Wood-burning cooker



kW-N	7,9
%	86
m³	227
kg/h	2,1
Dim. WxHxD	885 x 843 x 572
kg	169
Ø mm	130 B/T
Oven Dim. (WxHxD)	245 x 300 x 384
Oven capacity (L)	28
Max. wood length	30



ROSA SX REVERSE.16 CERAMICA

Wood-burning cooker



kW-N	8,2
%	86
m³	235
kg/h	2,3
Dim. WxHxD	1030 x 851 x 650
kg	183
Ø mm	150 B/T
PP (13% O ₂)	10
Oven Dim. (WxHxD)	245 x 300 x 384
Oven capacity (L)	28
Max. wood length	22

BBC



ROSA SX REVERSE.16 PETRA

Wood-burning cooker



kW-N	8,2
%	86
m³	235
kg/h	2,3
Dim. WxHxD	1030 x 851 x 650
kg	200
Ø mm	150 B/T
PP (13% O ₂)	10
Oven Dim. (WxHxD)	245 x 300 x 384
Oven capacity (L)	28
Max. wood length	22

BBC



ROSA L.16 STEEL

Wood-burning cooker



kW-N	9,5
%	86
m³	272
kg/h	2,5
Dim. WxHxD	975 x 861 x 670
kg	192
Ø mm	150 B/T
PP (13% O ₂)	10
Oven Dim. (WxHxD)	307 x 418 x 430
Oven capacity (L)	55
Max. wood length	30



ROSA XXL.16 PETRA

Wood-burning cooker



kW-N	10,5
%	86
m³	301
kg/h	2,8
Dim. WxHxD	1074 x 861 x 669
kg	275
Ø mm	120 B/T
PP (13% O ₂)	10
Oven Dim. (WxHxD)	436 x 418 x 430
Oven capacity (L)	78
Max. wood length	30





ROSA XXL.16 MAIOLICA

Wood-burning cooker



Bordeaux

White Infinity

kW-N	10,5
%	86
m³	301
kg/h	2,8
Dim. WxHxD	1074 x 861 x 669
kg	235
Ø mm	120 B/T
PP (13% O₂)	10
Oven Dim. (WxHxD)	436 x 418 x 430
Oven capacity (L)	78
Max. wood length	30



ROSA XXL.16 STEEL

Wood-burning cooker



Anthracite Black

kW-N	10,5
%	86
m³	301
kg/h	2,8
Dim. WxHxD	1074 x 861 x 669
kg	202
Ø mm	150 B/T
PP (13% O₂)	10
Oven Dim. (WxHxD)	436 x 418 x 430
Oven capacity (L)	78
Max. wood length	30



VENEZIA.16

Insertion or free-standing wood burning cooker



Anthracite Black

White

Inox

kW-N	8,3
%	86
m³	238
kg/h	2,2
Dim. WxHxD	900 x 850 x 600
kg	175
Ø mm	130 B/T/RH Side
PP (13% O₂)	10
Oven Dim. (WxHxD)	333 x 313 x 428
Oven capacity (L)	45
Max. wood length	25



MILLY.16

Wood-burning cooker



Bordeaux

White Infinity

kW-N	8,7
%	86
m³	250
kg/h	2,4
Dim. WxHxD	1050 x 865 x 670
kg	217
Ø mm	150 B/T
Oven Dim. (WxHxD)	436 x 418 x 430
Oven capacity (L)	78
Max. wood length	30



TOP FOOD WARMER (Optional)

BBC

PRESTIGE



ROSA.16 CERAMICA

Wood-burning cooker



Liberty Bordeaux

Liberty Panna

kW-N	8,8
%	86
m³	252
kg/h	2,3
Dim. WxHxD	1030 x 851 x 650
kg	183
Ø mm	150 B/T
PP (13% O₂)	8
Oven Dim. (WxHxD)	330 x 300 x 410
Oven capacity (L)	41
Max. wood length	30



ROSA.16 PETRA

Wood-burning cooker



Natural Stone

kW-N	8,8
%	86
m³	252
kg/h	2,3
Dim. WxHxD	1030 x 851 x 650
kg	200
Ø mm	150 B/T
PP (13% O₂)	8
Oven Dim. (WxHxD)	330 x 300 x 410
Oven capacity (L)	41
Max. wood length	30



ROSA.16 MAIOLICA

Wood-burning cooker



Bordeaux

White Infinity

Taupe

kW-N	8,8
%	86
m³	252
kg/h	2,3
Dim. WxHxD	1030 x 851 x 650
kg	204
Ø mm	150 B/T
PP (13% O₂)	8
Oven Dim. (WxHxD)	330 x 300 x 410
Oven capacity (L)	41
Max. wood length	30



ROSA.16 STEEL

Wood-burning cooker



Anthracite Black

Dotted White

kW-N	8,8
%	86
m³	252
kg/h	2,3
Dim. WxHxD	1030 x 851 x 650
kg	170
Ø mm	150 B/T
PP (13% O₂)	8
Oven Dim. (WxHxD)	330 x 300 x 410
Oven capacity (L)	41
Max. wood length	30





SUPREMA.16

Wood-burning cooker



Black

kW-N	9,0
%	86
m³	258
kg/h	2,4
Dim. WxHxD	974 x 860 x 660
kg	220
Ø mm	150 B/T
PP (13% O₂)	10
Oven Dim. (WxHxD)	436 x 418 x 430
Oven capacity (L)	78
Max. wood length	30



GARDENIA.16 PETRA

PRESTIGE

Wood-burning cooker



Natural Stone

kW-N	9,5
%	86
m³	272
kg/h	2,5
Dim. WxHxD	950 x 864 x 704
kg	212
Ø mm	150 B/T
PP (13% O₂)	10
Oven Dim. (WxHxD)	307 x 418 x 430
Oven capacity (L)	55
Max. wood length	30



GARDENIA.16 STEEL

PRESTIGE

Wood-burning cooker



Anthracite Black

kW-N	9,5
%	86
m³	272
kg/h	2,5
Dim. WxHxD	950 x 864 x 704
kg	197
Ø mm	150 B/T
PP (13% O₂)	10
Oven Dim. (WxHxD)	307 x 418 x 430
Oven capacity (L)	55
Max. wood length	30



GARDENIA XXL PETRA

PRESTIGE

Wood-burning stove with cast iron oven



Natural Stone

kW-N	10,5
%	86
m³	301
kg/h	2,8
Dim. WxHxD	950 x 864 x 704
kg	272
Ø mm	150 B/T
PP (13% O₂)	10
Oven Dim. (WxHxD)	438 x 408 x 436
Oven capacity (L)	78
Max. wood length	30



GARDENIA XXL STEEL

PRESTIGE

Wood-burning stove with cast iron oven



Anthracite Black

kW-N	10,5
%	86
m³	301
kg/h	2,8
Dim. WxHxD	950 x 864 x 704
kg	247
Ø mm	150 B/T
PP (13% O₂)	10
Oven Dim. (WxHxD)	438 x 408 x 436
Oven capacity (L)	78
Max. wood length	30



TOP FOOD WARMER (Optional)

GARDENIA XXL CERAMICA

PRESTIGE

Wood-burning stove with cast iron oven



Bordeaux



White Infinity

kW-N	10,5
%	86
m³	301
kg/h	2,8
Dim. WxHxD	950 x 864 x 704
kg	257
Ø mm	150 B/T
PP (13% O₂)	10
Oven Dim. (WxHxD)	438 x 408 x 436
Oven capacity (L)	78
Max. wood length	30



ALASKA.16

PRESTIGE

Wood-burning cooker



Glazed Black



kW-N	12,0
%	86
m³	344
kg/h	3,3
Dim. WxHxD	1307 x 860 x 705
kg	350
Ø mm	150 B/T
Oven Dim. (WxHxD)	434 x 418 x 430
Oven capacity (L)	78
Max. wood length	30



INSERTO 60.16

Wood burning ventilated insert



kW-N	6,5
%	80
m³	186
kg/h	1,9
Dim. WxHxD	595 x 500 x 440
kg	124
Ø mm	160 T
W	1
Max. wood length	30



INSERTO 70 H49.16

Wood burning ventilated insert



kW-N	6,7
%	82
m³	192
kg/h	1,9
Dim. WxHxD	695 x 495 x 450
kg	149
Ø mm	160 T
W	1
Max. wood length	30



INSERTO 80 CRYSTAL EVO.16

Ventilated wood insert



BBC

kW-N	7,4
%	80
m³	212
kg/h	2,2
Dim. WxHxD	800 x 555 x 500
kg	130
Ø mm	160 T
W	1
Max. wood length	30



INSERTO 70.165

Wood burning ventilated insert



kW-N	7,8
%	77
m³	224
kg/h	2,4
Dim. WxHxD	695 x 550 x 450
kg	142
Ø mm	160 T
W	1
Max. wood length	30



INSERTO 70 LEAN

Wood burning ventilated insert



BBC

kW-N	8,0
%	80
m³	229
kg/h	2,3
Dim. WxHxD	704 x 559 x 530
kg	115
Ø mm	150 T
Max. wood length	30



INSERTO 100 WIDE.16 *

Wood insert with panoramic view of the fire



*Hasta agotar existencias

BBC

kW-N	8,1
%	80
m³	232
kg/h	2,3
Dim. WxHxD	1000 x 561 x 509
kg	178
Ø mm	160 T
Max. wood length	30



INSERTO 80 WIDE.16 *

Wood insert with panoramic view of the fire



*Hasta agotar existencias

BBC

kW-N	12,4
%	86
m³	356
kg/h	3,3
Dim. WxHxD	800 x 1478 x 509
kg	160
Ø mm	160 T
Max. wood length	30





MONOBLOCCO 3LC.165

PRESTIGE

Wood burning monobloc for fireplaces



BBC

kW-N	12,0
%	80
m³	344
kg/h	3,5
Dim. WxHxD	1034 x 1678 x 655
kg	320
Ø mm	200 T
Max. wood length	50



MONOBLOCCO 90PA.16

PRESTIGE

Wood burning monobloc for fireplaces



BBC

kW-N	12,9
%	85
m³	370
kg/h	3,6
Dim. WxHxD	1105 x 1590 x 650
kg	320
Ø mm	180 T
Max. wood length	50



TERMOCAMINO WF PLUS.16

Thermo-wood fireplace insert

BBC

kW-N	20,5
kW-H ₂ O	11,3
%	86
m³	588
kg/h	5,4
Dim. WxHxD	846 x 1585 x 667
kg	334
Ø mm	200 T
bar	2,5
Max. wood length	30





PELLET STOVE



MARGARET GRES

Evolution
Life

Airtight hybrid pellet/wood stove



Gres Corten

Gres Ostuni

Pellet Mode | Wood Mode

kW-N (min-max)	3,0 - 10,0 6,0 - 10,1
% (min-max)	82 - 90 88 - 89
m ³	287
kg/h (min-max)	0,8 - 2,3 1,6 - 2,6
Dim. WxHxD	890 x 1157 x 532
kg	270
Ø mm	120 B/T
W (min-max)	21 - 62 24 - 36
kg/L	30 / 49



LUISELLA 5.0

Ventilated pellet stove, slim



Bordeaux

Grigio Grafite

Black

kW-N (min-max)	2,5 - 5,1
% (min-max)	92 - 92
m ³	146
kg/h (min-max)	0,5 - 1,1
Dim. WxHxD	572 x 892 x 307
kg	64
Ø mm	80 B/T
W (min-max)	28 - 48
kg/L	10 / 16



MARGARET PETRA

Evolution
Life

Airtight hybrid pellet/wood stove



Natural Stone

Pellet Mode | Wood Mode

kW-N (min-max)	3,0 - 10,0 6,0 - 10,1
% (min-max)	82 - 90 88 - 89
m ³	287
kg/h (min-max)	0,8 - 2,3 1,6 - 2,6
Dim. WxHxD	890 x 1157 x 532
kg	280
Ø mm	120 B/T
W (min-max)	21 - 62 24 - 36
kg/L	30 / 49



LUISELLA 5.0 MAXI

Airtight, ventilated, slim pellet stove



Grigio Grafite

Black

kW-N (min-max)	2,5 - 7,0
% (min-max)	94 - 92
m ³	201
kg/h (min-max)	0,6 - 1,6
Dim. WxHxD	639 x 892 x 290
kg	99
Ø mm	80 B/T/RH Side
W (min-max)	38 - 66
kg/L	10 / 16



PEGGY

PRESTIGE

Airtight, ventilated pellet stove



Anthracite Black

Pedestal
"CLASSIC"
574x720x570 mm
(optional)

Pedestal
"STYLE"
514x720x570 mm
(optional)

kW-N (min-max)	2,5 - 5,1
% (min-max)	93 - 91
m ³	146
kg/h (min-max)	0,5 - 1,2
Dim. WxHxD	500 x 620 x 460
kg	91
Ø mm	80 B
W (min-max)	21 - 49
kg/L	10 / 16



KETTY 5.0

Ventilated pellet stove



White

Bordeaux

Black

Ivory

kW-N (min-max)	2,5 - 6,5
% (min-max)	91 - 92
m ³	186
kg/h (min-max)	0,6 - 1,4
Dim. WxHxD	456 x 884 x 479
kg	77
Ø mm	80 B
W (min-max)	35 - 75
kg/L	15 / 24





ANGY TOP

PRESTIGE

Airtight, ventilated pellet stove



White



Bronze



Black

kW-N (min-max)	2,5 - 7,0
% (min-max)	94 - 91
m ³	201
kg/h (min-max)	0,6 - 1,5
Dim. WxHxD	506 x 897 x 525
kg	91
Ø mm	80 B/T
W (min-max)	26 - 62
kg/L	11 / 18



LINA TOP *

PRESTIGE

Airtight ventilated pellet stove



Black *

*Hasta agotar existencias



kW-N (min-max)	2,5 - 7,0
% (min-max)	94 - 91
m ³	201
kg/h (min-max)	0,6 - 1,5
Dim. WxHxD	478 x 914 x 522
kg	90
Ø mm	80 T
W (min-max)	26 - 62
kg/L	11 / 18



MARIELLA

Ventilated pellet stove



Ivory



Bordeaux



Black

kW-N (min-max)	3,0 - 7,0
% (min-max)	90 - 92
m ³	201
kg/h (min-max)	0,7 - 1,6
Dim. WxHxD	495 x 1019 x 508
kg	98
Ø mm	80 B/T
W (min-max)	34 - 67
kg/L	15 / 24



MARIELLA PLUS

Ducted pellet stove



Ivory



Bordeaux



Black

kW-N (min-max)	3,0 - 7,5
% (min-max)	90 - 92
m ³	215
kg/h (min-max)	0,7 - 1,7
Dim. WxHxD	495 x 1019 x 508
kg	102
Ø mm	80 B/T
W (min-max)	50 - 95
kg/L	15 / 24



MOIRA EVO *

PRESTIGE

Airtight, ventilated pellet stove



White *



Black *

*Hasta agotar existencias



kW-N (min-max)	2,5 - 7,0
% (min-max)	94 - 91
m ³	201
kg/h (min-max)	0,6 - 1,5
Dim. WxHxD	463 x 893 x 528
kg	84
Ø mm	80 B
W (min-max)	26 - 62
kg/L	11 / 18



SABRY 5.0 EVO

PRESTIGE

Ventilated pellet stove



Ivory



Bronze



Black



Grigio Grafite

kW-N (min-max)	2,8 - 7,0
% (min-max)	94 - 91
m ³	201
kg/h (min-max)	0,6 - 1,5
Dim. WxHxD	456 x 924 x 555
kg	87
Ø mm	80 B
W (min-max)	19 - 42
kg/L	15 / 24



AMIKA EVO

Airtight ventilated pellet stove



White



Black



kW-N (min-max)	3,0 - 8,0
% (min-max)	93 - 92
m ³	229
kg/h (min-max)	0,7 - 1,8
Dim. WxHxD	460 x 1200 x 465
kg	114
Ø mm	80 B
W (min-max)	35 - 68
kg/L	15 / 24



AMIKA PETRA EVO

Airtight ventilated pellet stove



Natural Stone



kW-N (min-max)	3,0 - 8,0
% (min-max)	93 - 92
m ³	229
kg/h (min-max)	0,7 - 1,8
Dim. WxHxD	460 x 1200 x 465
kg	117
Ø mm	80 B
W (min-max)	35 - 68
kg/L	15 / 24





ANGELICA EVO

PRESTIGE

Airtight ventilated pellet stove



Ivory



Bordeaux



Black

kW-N (min-max)	3,0 - 8,0
% (min-max)	94 - 91
m ³	229
kg/h (min-max)	0,7 - 1,8
Dim. WxHxD	495 x 1016 x 555
kg	99
Ø mm	80 B/T
PP (13% O ₂)	7
W (min-max)	31 - 64
kg/L	15 / 24



ANGELICA PLUS EVO

PRESTIGE

Airtight ducted pellet stove



Ivory



Black



Bordeaux

kW-N (min-max)	3,0 - 8,0
% (min-max)	94 - 91
m ³	229
kg/h (min-max)	0,7 - 1,8
Dim. WxHxD	495 x 1016 x 555
kg	103
Ø mm	80 B/T
PP (13% O ₂)	7
W (min-max)	31 - 64
kg/L	15 / 24



GABRIELLA PLUS *

PRESTIGE

Ducted pellet stove, slim



White *



Bronze *



Natural Stone *

*Hasta agotar existencias

kW-N (min-max)	3,5 - 8,0
% (min-max)	94 - 94
m ³	229
kg/h (min-max)	0,8 - 1,8
Dim. WxHxD	750 x 1078 x 352
kg	132
Ø mm	80 B/T
W (min-max)	52 - 90
kg/L	15 / 24



KLAUDIA 5.0 EVO

Ventilated pellet stove



Bordeaux



Black



White

kW-N (min-max)	3,0 - 8,0
% (min-max)	92 - 92
m ³	229
kg/h (min-max)	0,5 - 1,8
Dim. WxHxD	498 x 1017 x 575
kg	101
Ø mm	80 B/T
W (min-max)	28 - 57
kg/L	15 / 24



KLAUDIA PLUS 5.0 EVO

Ducted pellet stove



Bordeaux



Black



White

kW-N (min-max)	3,0 - 8,0
% (min-max)	93 - 92
m ³	229
kg/h (min-max)	0,7 - 1,8
Dim. WxHxD	498 x 1017 x 575
kg	105
Ø mm	80 B/T
PP (13% O ₂)	9
W (min-max)	37 - 83
kg/L	15 / 24



MARILENA PLUS 5.0.16

Ducted pellet stove, slim



White



Black

kW-N (min-max)	3,2 - 8,0
% (min-max)	93 - 91
m ³	229
kg/h (min-max)	0,7 - 1,8
Dim. WxHxD	347 x 1077 x 750
kg	118
Ø mm	80 B/T/LH side
W (min-max)	45 - 90
kg/L	15 / 23



MARILENA PLUS PETRA 5.0.16

Ducted pellet stove, slim



Natural Stone

kW-N (min-max)	3,2 - 8,0
% (min-max)	93 - 91
m ³	229
kg/h (min-max)	0,7 - 1,8
Dim. WxHxD	347 x 1077 x 750
kg	154
Ø mm	80 B/T/LH side
W (min-max)	45 - 90
kg/L	15 / 23



MARILENA PLUS CRYSTAL 5.0.16

Ducted pellet stove, slim



White



Fume'

kW-N (min-max)	3,2 - 8,0
% (min-max)	93 - 91
m ³	229
kg/h (min-max)	0,7 - 1,8
Dim. WxHxD	750 x 1077 x 347
kg	135
Ø mm	80 B/T/LH side
W (min-max)	45 - 90
kg/L	15 / 23





PAMELA STEEL

PRESTIGE

Airtight, ventilated pellet stove



Bronze



White

kW-N (min-max)	2,5 - 8,0
% (min-max)	93 - 91
m³	229
kg/h (min-max)	0,6 - 1,8
Dim. WxHxD	470 x 1197 x 470
kg	130
Ø mm	80 B
W (min-max)	28 - 67
kg/L	15 / 24



DEBBY EVO

PRESTIGE

Airtight, ventilated pellet stove



White



Black

kW-N (min-max)	3,0 - 9,0
% (min-max)	94 - 93
m³	258
kg/h (min-max)	0,7 - 2,0
Dim. WxHxD	550 x 1199 x 573
kg	134
Ø mm	80 B/T
W (min-max)	35 - 70
kg/L	18 / 28



PAMELA CRYSTAL - BLSC

PRESTIGE

Airtight, ventilated pellet stove



Crystal Blsc

kW-N (min-max)	2,5 - 8,0
% (min-max)	93 - 91
m³	229
kg/h (min-max)	0,6 - 1,8
Dim. WxHxD	470 x 1197 x 470
kg	140
Ø mm	80 B
W (min-max)	28 - 67
kg/L	15 / 24



DEBBY PETRA EVO

PRESTIGE

Airtight ventilated pellet stove



Natural Stone

kW-N (min-max)	3,0 - 9,0
% (min-max)	94 - 93
m³	258
kg/h (min-max)	0,7 - 2,0
Dim. WxHxD	550 x 1199 x 573
kg	160
Ø mm	80 B/T
W (min-max)	35 - 70
kg/L	18 / 28



TEODORA EVO

Ventilated pellet stove



Black

kW-N (min-max)	2,5 - 8,0
% (min-max)	94 - 91
m³	229
kg/h (min-max)	0,6 - 1,8
Dim. WxHxD	610 x 739 x 632
kg	139
Ø mm	80 B
W (min-max)	35 - 70
kg/L	14 / 22



DEBBY PLUS EVO *

PRESTIGE

Airtight pellet stove with ducting system



White *



Black *

kW-N (min-max)	3,0 - 9,0
% (min-max)	94 - 93
m³	258
kg/h (min-max)	0,7 - 2,0
Dim. WxHxD	550 x 1199 x 573
kg	137
Ø mm	80 B/T
W (min-max)	45 - 92
kg/L	18 / 28

*Hasta agotar existencias



ANNABELLA AD EVO

Ducted pellet stove, slim



White



Black



Matt Taupe

kW-N (min-max)	3,4 - 9,0
% (min-max)	94 - 92
m³	258
kg/h (min-max)	0,8 - 2,0
Dim. WxHxD	703 x 1078 x 343
kg	132
Ø mm	80 B/T/RH Side
W (min-max)	35 - 55
kg/L	14 / 22



DEBBY PLUS PETRA EVO *

PRESTIGE

Airtight pellet stove with ducting system



Natural Stone*

kW-N (min-max)	3,0 - 9,0
% (min-max)	94 - 93
m³	258
kg/h (min-max)	0,7 - 2,0
Dim. WxHxD	550 x 1199 x 573
kg	163
Ø mm	80 B/T
W (min-max)	45 - 92
kg/L	18 / 28

*Hasta agotar existencias





KATIA 9 5.0 EVO

Evolution
Life

Airtight, ventilated pellet stove



White



Bronze



Matt Taupe

kW-N (min-max)	3,6 - 9,0
% (min-max)	95 - 92
m ³	258
kg/h (min-max)	0,8 - 2,0
Dim. WxHxD	515 x 1082 x 572
kg	160
Ø mm	80 B
PP (13% O ₂)	7
W (min-max)	18 - 36
kg/L	20 / 32



DAHIANA PLUS VFS

Ducted pellet stove



Bordeaux



Ivory



Black



Bronze

kW-N (min-max)	3,0 - 10,0
% (min-max)	90 - 92
m ³	287
kg/h (min-max)	0,7 - 2,3
Dim. WxHxD	525 x 1080 x 558
kg	160
Ø mm	80 B
W (min-max)	35 - 130
kg/L	30 / 48



KATIA 11

Evolution
Life

Airtight, ventilated pellet stove



White



Bronze



Taupe

kW-N (min-max)	3,4 - 11,0
% (min-max)	94 - 91
m ³	315
kg/h (min-max)	0,8 - 2,5
Dim. WxHxD	515 x 1082 x 572
kg	155
Ø mm	80 B
W (min-max)	26 - 45
kg/L	20 / 32



SHARON PLUS PETRA

PRESTIGE

Airtight, slim, pellet stove with ducting system



Natural Stone

kW-N (min-max)	3,5 - 10,0
% (min-max)	92 - 91
m ³	287
kg/h (min-max)	0,8 - 2,3
Dim. WxHxD	900 x 1150 x 290
kg	167
Ø mm	80 B/T
W (min-max)	30 - 50
kg/L	21 / 33



MIETTA EVO *

Evolution
Life

Airtight, ventilated pellet stove



Bordeaux *



White *

kW-N (min-max)	3,4 - 9,0
% (min-max)	94 - 93
m ³	258
kg/h (min-max)	0,8 - 2,0
Dim. WxHxD	496 x 1073 x 579
kg	157
Ø mm	80 B
W (min-max)	26 - 43
kg/L	20 / 32

*Hasta agotar existencias



SHARON PLUS CRYSTAL

PRESTIGE

Airtight, slim, pellet stove with ducting system



Crystal

kW-N (min-max)	3,5 - 10,0
% (min-max)	92 - 91
m ³	287
kg/h (min-max)	0,8 - 2,3
Dim. WxHxD	900 x 1150 x 290
kg	155
Ø mm	80 B/T
W (min-max)	30 - 50
kg/L	21 / 33



DAHIANA 5.0 EVO

Ventilated pellet stove



Bordeaux



Ivory



Black



Bronze

kW-N (min-max)	3,5 - 10,0
% (min-max)	92 - 92
m ³	287
kg/h (min-max)	0,8 - 2,3
Dim. WxHxD	525 x 1080 x 602
kg	153
Ø mm	80 B
PP (13% O ₂)	10
W (min-max)	38 - 90
kg/L	27 / 42



SHARON PLUS STEEL

PRESTIGE

Airtight, slim, pellet stove with ducting system



Black

kW-N (min-max)	3,5 - 10,0
% (min-max)	92 - 91
m ³	287
kg/h (min-max)	0,8 - 2,3
Dim. WxHxD	900 x 1150 x 295
kg	155
Ø mm	80 B/T
W (min-max)	30 - 50
kg/L	21 / 33





SOUVENIR PLUS LUX 5.0

Ducted pellet stove, slim



White Taupe

kW-N (min-max)	3,3 - 10,0
% (min-max)	94 - 93
m ³	287
kg/h (min-max)	0,7 - 2,2
Dim. WxHxD	822 x 1162 x 343
kg	149
Ø mm	80 B/T/RH Side
W (min-max)	37 - 65
kg/L	19 / 30



SOUVENIR PLUS PETRA 5.0

Ducted pellet stove, slim



Natural Stone

kW-N (min-max)	3,3 - 10,0
% (min-max)	94 - 93
m ³	287
kg/h (min-max)	0,7 - 2,2
Dim. WxHxD	821 x 1124 x 343
kg	156
Ø mm	80 B/T/RH Side
W (min-max)	37 - 65
kg/L	19 / 30



SOUVENIR PLUS STEEL 5.0

Ducted pellet stove, slim



White Bordeaux Black

kW-N (min-max)	3,3 - 10,0
% (min-max)	94 - 93
m ³	287
kg/h (min-max)	0,7 - 2,2
Dim. WxHxD	821 x 1122 x 343
kg	141
Ø mm	80 B/T/RH Side
W (min-max)	37 - 65
kg/L	19 / 30



TEOREMA

Vented pellet stove



Bordeaux Ivory Black

kW-N (min-max)	3,0 - 10,0
% (min-max)	90 - 91
m ³	287
kg/h (min-max)	0,7 - 2,3
Dim. WxHxD	525 x 1080 x 652
kg	165
Ø mm	80 B/T
W (min-max)	20 - 105
kg/L	30 / 48



TEOREMA PLUS AD

Ducted pellet stove



Bordeaux Ivory Black

kW-N (min-max)	3,8 - 12,0
% (min-max)	94 - 93
m ³	344
kg/h (min-max)	0,9 - 2,7
Dim. WxHxD	525 x 1080 x 652
kg	172
Ø mm	80 B/T
PP (13% O ₂)	10
W (min-max)	65 - 158
kg/L	27 / 42



SINFONY

Airtight, ventilated pellet stove



White Bright Taupe

kW-N (min-max)	3,4 - 11,0
% (min-max)	94 - 91
m ³	316
kg/h (min-max)	0,8 - 2,5
Dim. WxHxD	480 x 1139 x 560
kg	173
Ø mm	80 B
W (min-max)	26 - 45
kg/L	22 / 35



ANNALISA PLUS CRYSTAL

Airtight, double ducted pellet stove



Black

kW-N (min-max)	3,6 - 12,0
% (min-max)	91 - 91
m ³	344
kg/h (min-max)	0,8 - 2,7
Dim. WxHxD	436 x 1150 x 900
kg	187
Ø mm	80 B/T/RH Side
W (min-max)	32 - 52
kg/L	24 / 38



ANNALISA PLUS GRES

Airtight, double ducted pellet stove



Gres Ostuni

kW-N (min-max)	3,6 - 12,0
% (min-max)	91 - 91
m ³	344
kg/h (min-max)	0,8 - 2,7
Dim. WxHxD	902 x 1150 x 436
kg	185
Ø mm	80 B/T/RH Side
W (min-max)	32 - 52
kg/L	24 / 38





NORIS



Airtight, ventilated pellet stove



White



Bronze



Matt Taupe

kW-N (min-max)	3,6 - 12,0
% (min-max)	93 - 91
m ³	344
kg/h (min-max)	0,8 - 2,7
Dim. WxHxD	576 x 1174 x 642
kg	188
Ø mm	80 B
W (min-max)	45 - 58
kg/L	29 / 46



NORIS LUX



Airtight, ventilated pellet stove



White



Taupe

kW-N (min-max)	3,6 - 12,0
% (min-max)	93 - 91
m ³	344
kg/h (min-max)	0,8 - 2,7
Dim. WxHxD	576 x 1174 x 642
kg	201
Ø mm	80 B
W (min-max)	45 - 58
kg/L	29 / 46



NORIS PLUS



Airtight, double ducted pellet stove



White



Bronze



Matt Taupe

kW-N (min-max)	3,6 - 12,0
% (min-max)	93 - 92
m ³	344
kg/h (min-max)	0,8 - 2,7
Dim. WxHxD	576 x 1174 x 642
kg	195
Ø mm	80 B
W (min-max)	60 - 105
kg/L	29 / 46



NORIS PLUS LUX



Airtight, double ducted pellet stove



White



Taupe

kW-N (min-max)	3,6 - 12,0
% (min-max)	93 - 92
m ³	344
kg/h (min-max)	0,8 - 2,7
Dim. WxHxD	576 x 1174 x 642
kg	208
Ø mm	80 B
W (min-max)	60 - 105
kg/L	29 / 46



LUCIA.16

Ventilated pellet stove



Bordeaux



White



Taupe

kW-N (min-max)	3,6 - 12,1
% (min-max)	93 - 93
m ³	347
kg/h (min-max)	0,8 - 2,7
Dim. WxHxD	556 x 1097 x 597
kg	181
Ø mm	80 B
W (min-max)	23 - 87
kg/L	27 / 43



LUCIA PLUS.16

Ducted pellet stove



Bordeaux



White



Taupe

kW-N (min-max)	3,6 - 12,0
% (min-max)	92 - 92
m ³	344
kg/h (min-max)	0,8 - 2,7
Dim. WxHxD	556 x 1097 x 597
kg	186
Ø mm	80 B
W (min-max)	50 - 142
kg/L	27 / 43



TERRY PLUS



Airtight, double ducted pellet stove



Bordeaux



White



Bright Taupe

kW-N (min-max)	3,5 - 12,1
% (min-max)	92 - 94
m ³	347
kg/h (min-max)	0,8 - 2,7
Dim. WxHxD	569 x 1151 x 598
kg	206
Ø mm	80 B
W (min-max)	50 - 96
kg/L	29 / 46





ROSANNA IDRO 5.0

PRESTIGE

Airtight and ventilated pellet thermo-stove



Bordeaux



Ivory



Bronze



Black

kW-N (min-max)	4,3 - 14,3
kW-H ₂ O (min-max)	2,9 - 11,0
% (min-max)	92 - 92
m ³	410
kg/h (min-max)	1,0 - 3,2
Dim. WxHxD	511 x 1150 x 632
kg	163
Ø mm	100 B
W (min-max)	28 - 68
kg/L	27 / 43
bar	3



VIRNA IDRO.16

Airtight ventilated and slim pellet thermo-stove



Bordeaux



White



Matt Taupe

kW-N (min-max)	4,3 - 14,5
kW-H ₂ O (min-max)	3,7 - 12,3
% (min-max)	95 - 93
m ³	416
kg/h (min-max)	0,9 - 3,2
Dim. WxHxD	793 x 1105 x 384
kg	151
Ø mm	100 B/T/RH Side
W (min-max)	20 - 35
kg/L	22 / 35
bar	2,5



MARINA IDRO H11

Ventilated pellet thermo-stove



Ivory



Bordeaux



Bronze

kW-N (min-max)	4,2 - 14,8
kW-H ₂ O (min-max)	3,0 - 11,0
% (min-max)	94 - 93
m ³	424
kg/h (min-max)	4,2 - 14,8
Dim. WxHxD	550 x 1039 x 601
kg	180
Ø mm	80 B
W (min-max)	32 - 65
kg/L	20 / 32
bar	3



MARINA IDRO H13

Ventilated pellet thermo-stove



Ivory



Bordeaux



Bronze

kW-N (min-max)	5,1 - 17,5
kW-H ₂ O (min-max)	3,7 - 13,0
% (min-max)	94 - 92
m ³	502
kg/h (min-max)	1,1 - 3,8
Dim. WxHxD	550 x 1149 x 601
kg	190
Ø mm	80 B
W (min-max)	25 - 70
kg/L	24 / 39
bar	3



COSTANZA IDRO 5.0

Airtight and ventilated pellet thermo-stove



White



Bordeaux

kW-N (min-max)	4,8 - 16,0
kW-H ₂ O (min-max)	3,3 - 11,0
% (min-max)	90 - 91
m ³	459
kg/h (min-max)	3,6 - 1,1
Dim. WxHxD	495 x 1152 x 628
kg	165
Ø mm	100 B
W (min-max)	25 - 60
kg/L	27 / 43
bar	3



GUENDA IDRO 5.0

Evolution
Life

Ventilated pellet thermo-stove



Ivory



Bronze



Matt Taupe

kW-N (min-max)	4,8 - 16,0
kW-H ₂ O (min-max)	3,3 - 12,3
% (min-max)	90 - 91
m ³	459
kg/h (min-max)	3,6 - 1,1
Dim. WxHxD	495 x 1152 x 628
kg	165
Ø mm	100 B
W (min-max)	20 - 22
kg/L	27 / 48
bar	3



EVELYNE IDRO 2.0

Evolution
Life

Airtight ventilated and slim pellet thermo-stove



White



Taupe



Grey

kW-N (min-max)	5,3 - 18,0
kW-H ₂ O (min-max)	3,5 - 14,8
% (min-max)	96 - 94
m ³	516
kg/h (min-max)	1,1 - 4,0
Dim. WxHxD	878 x 1099 x 412
kg	209
Ø mm	100 B/T/RH Side
W (min-max)	80 - 85
kg/L	27 / 43
bar	3



ISIDORA IDRO H16 5.0.16

Evolution
Life

Ventilated pellet thermo-stove



White



Bordeaux



Bright Taupe

kW-N (min-max)	5,1 - 18,9
kW-H ₂ O (min-max)	3,9 - 16,0
% (min-max)	91 - 94
m ³	542
kg/h (min-max)	1,2 - 4,1
Dim. WxHxD	596 x 1165 x 708
kg	227
Ø mm	100 B
W (min-max)	24 - 26
kg/L	33 /
bar	3





ISIDORA IDRO H20 5.0 EVO



Ventilated pellet thermo-stove



Ivory



White



Bordeaux

kW-N (min-max)	5,6 - 22,4
kW-H ₂ O (min-max)	4,6 - 20,0
% (min-max)	96 - 93
m ³	642
kg/h (min-max)	1,2 - 5,0
Dim. WxHxD	596 x 1243 x 708
kg	235
Ø mm	100 B
PP (13% O ₂)	7
W (min-max)	15 - 35
kg/L	38 / 60
bar	3



ISIDORA IDRO H23 5.0 EVO



Ventilated pellet thermo-stove



Bordeaux



White



Ivory

kW-N (min-max)	5,6 - 25,8
kW-H ₂ O (min-max)	4,6 - 23,0
% (min-max)	96 - 92
m ³	740
kg/h (min-max)	1,2 - 5,8
Dim. WxHxD	596 x 1243 x 737
kg	235
Ø mm	100 B
PP (13% O ₂)	7
W (min-max)	15 - 37
kg/L	38 / 60
bar	3



ISIDE IDRO 5.0.16

Ventilated pellet thermo-stove



Bordeaux



Parchment



White



Vogue Ametista

kW-N (min-max)	5,4 - 19,0
kW-H ₂ O (min-max)	4,0 - 14,7
% (min-max)	93 - 94
m ³	545
kg/h (min-max)	1,2 - 4,2
Dim. WxHxD	690 x 1196 x 628
kg	247
Ø mm	100 B
W (min-max)	78 - 119
kg/L	35 / 56
bar	3



RAFFAELLA IDRO H15 5.0.16

Ventilated pellet thermo-stove



Bordeaux



White



Grigio Luce

kW-N (min-max)	5,4 - 19,0
kW-H ₂ O (min-max)	4,0 - 14,7
% (min-max)	93 - 94
m ³	545
kg/h (min-max)	1,2 - 4,2
Dim. WxHxD	633 x 1176 x 626
kg	214
Ø mm	100 B
W (min-max)	78 - 119
kg/L	35 / 56
bar	3



RAFFAELLA IDRO H18 5.0.16

Ventilated pellet thermo-stove



Ivory



Grigio Luce

kW-N (min-max)	5,4 - 23,6
kW-H ₂ O (min-max)	4,0 - 17,7
% (min-max)	93 - 92
m ³	677
kg/h (min-max)	1,2 - 5,3
Dim. WxHxD	633 x 1176 x 626
kg	214
Ø mm	100 B
W (min-max)	78 - 130
kg/L	35 / 56
bar	3





COMFORT P70 H49 5.0

Ventilated pellet insert



kW-N (min-max)	3,0 - 8,0
% (min-max)	93 - 91
m³	230
kg/h (min-max)	0,7 - 1,8
Dim. WxHxD	680 x 480 x 512
kg	113
Ø mm	80 T
W (min-max)	25 - 98
kg/L	11 / 18



COMFORT P85 PLUS

Pellet insert with ducting system



kW-N (min-max)	3,5 - 12,0
% (min-max)	92 - 91
m³	344
kg/h (min-max)	0,8 - 2,6
Dim. WxHxD	880 x 602 x 615
kg	160
Ø mm	80 T
W (min-max)	75 - 150
kg/L	16 / 25



COMFORT P70 AIR

Ventilated pellet insert



kW-N (min-max)	3,0 - 10,0
% (min-max)	90 - 91
m³	287
kg/h (min-max)	0,7 - 2,2
Dim. WxHxD	740 x 582 x 561
kg	125
Ø mm	80 T
W (min-max)	23 - 75
kg/L	15 / 24



COMFORT IDRO L80.16

Pellet thermo-fireplace ventilated



kW-N (min-max)	5,7 - 19,0
kW-H ₂ O (min-max)	4,3 - 14,9
% (min-max)	90 - 92
m³	545
kg/h (min-max)	1,3 - 4,3
Dim. WxHxD	x x
kg	220
Ø mm	100 T
W (min-max)	16 - 36
kg/L	18 / 29
bar	2.5



COMFORT P70 AIR PLUS

Pellet insert with ducting system



kW-N (min-max)	3,0 - 10,0
% (min-max)	92 - 92
m³	287
kg/h (min-max)	0,7 - 2,3
Dim. WxHxD	670 x 530 x 562
kg	131
Ø mm	80 T
W (min-max)	35 - 105
kg/L	13 / 21



COMFORT P85

Ventilated pellet insert



kW-N (min-max)	3,5 - 12,0
% (min-max)	91 - 92
m³	344
kg/h (min-max)	0,8 - 2,6
Dim. WxHxD	880 x 602 x 615
kg	145
Ø mm	80 T
W (min-max)	25 - 100
kg/L	16 / 25





PK15

Pellet boiler



Light Grey/Dark
Grey

kW-N (min-max)	4,1 - 15,0
kW-H ₂ O (min-max)	4,1 - 15,0
% (min-max)	88 - 93
m ³	431
kg/h (min-max)	1,0 - 3,4
Dim. WxHxD	822 x 1398 x 745
kg	295
Ø mm	100 B/T/LH side
W (min-max)	20 - 25
kg/L	75 / 119
bar	3



PK20

Pellet boiler



Light Grey/Dark
Grey

kW-N (min-max)	5,7 - 20,0
kW-H ₂ O (min-max)	5,7 - 20,0
% (min-max)	88 - 92
m ³	574
kg/h (min-max)	1,4 - 4,6
Dim. WxHxD	822 x 1398 x 745
kg	295
Ø mm	100 B/T/LH side
W (min-max)	20 - 25
kg/L	75 / 119
bar	3



PR20

Pellet boiler with ash extractor



Light Grey/Dark
Grey

kW-N (min-max)	5,7 - 20,0
kW-H ₂ O (min-max)	5,7 - 20,0
% (min-max)	88 - 92
m ³	574
kg/h (min-max)	1,4 - 4,6
Dim. WxHxD	822 x 1398 x 817
kg	310
Ø mm	100 B/T/LH side
W (min-max)	20 - 25
kg/L	75 / 119
bar	3



PK30

Pellet boiler



Light Grey/Dark
Grey

kW-N (min-max)	8,9 - 30,0
kW-H ₂ O (min-max)	8,9 - 30,0
% (min-max)	93 - 92
m ³	861
kg/h (min-max)	2,0 - 6,8
Dim. WxHxD	892 x 1398 x 745
kg	310
Ø mm	120 B/T/LH side
W (min-max)	27 - 45
kg/L	75 / 119
bar	3



PR30

Pellet boiler with ash extractor



Light Grey/Dark
Grey

kW-N (min-max)	8,9 - 30,0
kW-H ₂ O (min-max)	8,9 - 30,0
% (min-max)	93 - 92
m ³	861
kg/h (min-max)	2,0 - 6,8
Dim. WxHxD	892 x 1398 x 817
kg	325
Ø mm	120 B/T/LH side
W (min-max)	27 - 45
kg/L	75 / 119
bar	3



NOTE

- Due to printing reasons the reproduction of colours has to be considered only indicative.
- The fuel quantity (weight) inside the hopper and the hour consumption can change depending on the type of pellet which is used.
- All the figures were measured using approved pellets in compliance with EN ISO 17225-2.
- Facing tones and characteristics are subject to slight variations because they are natural products.
- The manufacturer reserves the right to change the products without any previous notice.
- The La Nordica-Extraflame products can be covered by industrial property rights (such as patents, designs and trademarks) owned by La Nordica-Extraflame exclusively. It is strictly forbidden to violate these rights as for removing, cancelling or corrupting the trademarks impressed on the products and impressing others.
- m³ that can be heated: the data is indicative. For the generator to be sized correctly, contact a skilled technician/designer.
- Before the purchase, ask your reseller all the information regarding the appliance. One must also bear in mind all laws and national, regional, provincial and town council Standards present in the country in which the appliance has been installed, as well as the instructions contained in this manual.

- The images contained in this document are for product illustration purposes only and do not represent indications for the performance or technical characteristics of the same.
- The data in the catalogue can be rounded off to the first decimal.
- La Nordica-Extraflame products are approved to work with 230V 50Hz power supply only. The use with different voltages and / or frequencies can compromise the functionality and safety of the products.
- The majolicas (if present) are the result of high-quality artisan work. As they are completely carried out by hand, the majolica may present crackles, speckles, and shadings. These characteristics certify their precious origin. Enamel and majolica, due to their different coefficient of dilatation, produce microcrackles, which show their authentic feature.
- The stone claddings are natural materials and as such are subject to aesthetic or chromatic variations between a piece and the other, these features represent the beauty and uniqueness of the product and cannot be considered defects.

ENERGY LABEL

As of 1st January 2018 the Energy Labelling Regulation came into force also for all the biomass heating appliances, both room heater appliances and appliances designed to heat the water for central heating and domestic hot water. This directive, in accordance with the regulations of the European Union, will assign an Energy Efficiency Class (from G up to A++) providing the buyers with information about the consumption and the efficiency.



CERTIFICATES

Italian Regulation for the Environmental Certificate release of domestic solid fuels biomass room heaters (Classification from 1 up to 5 stars).



French trademark of the ADEME agency for the environment and the energy. The products "Flamme Verte" approved guarantee the best high energy performances and respect for the environment.



Certification issued by the German Federal Office for Economics and Export Control to promote the efficient use of biomass energy.



Only for Germany: The products is ready to be connected to a multiply chimney connection, just when the installation is made in accordance with requirements of the regional and national standards, and when observed the norms DIN EN 13384-2, DIN V 1816-1, DIN 18896 and MFeuV-2007 (Muster-Feuerungsverordnung), and that the district chimney sweeper has checked and approved the correct installation.



Only for Italy: the Ministerial Decree 28/12/12, better known as "Conto Termico", allows a specific incentive in case of replacement of old appliances by new ones with certain characteristics.



German regulations on controlling emissions.



LEGEND

kW-N:	Nominal thermal power (kW)
kW-H₂O:	Power given back to water (kW)
m³:	Heatable m ³ (30 kcal/h x m ³)
%:	Efficiency
kg-l:	Tank total capacity (kg-l)
kg/h:	Hourly consumption (kg/h)
Ø mm:	Smoke outlet diameter (mm)
	T = Top B = Back
	RH side = Right side LH side = Left side
Dim. WxHxD:	Dimensions WxHxD (mm)
kg:	Net weight (kg)

W:	Electric consumption (W)
bar:	Working pressure (bar)
	Wi-Fi included
	Remote control with room sensor included
	Self-cleaning brazier
	Direct external air intake
	Sealed combustion chamber and hopper



LA NORDICA S.P.A

Via Summano, 104 36030 Montecchio Precalcino - Vicenza - Italy
Tel. +39 0445 804000
info@lanordica.com

EXTRAFLAME S.P.A

Via dell'Artigianato, 12 36030 Montecchio Precalcino - Vicenza - Italy
Tel. +39 0445 865911
info@extraflame.it

www.lanordica-extraflame.com

9300326-000

