

POCKET 2026





■ Rosa XXL UL-C

LA NORDICA

Lumen

LUMEN 870 UL-C	11
LUMEN 1200 UL-C	13
LUMEN 1600 UL-C	15

Wood-burning Stoves

LAVINIA UL-C	18
--------------	----

Wood-burning Cookers

ROSA REVERSE UL-C CERAMICA	19
ROSA SINISTRA REVERSE UL-C MAJOLICA	20
ROSA SINISTRA REVERSE UL-C STONE	21
ROSA UL-C CERAMIC	22
ROSA UL-C STONE	23
ROSA UL-C MAIOLICA	24
MILLY UL-C	25
ROSA L UL-C	26
GARDENIA UL-C STEEL	27
GARDENIA UL-C STONE	28
GARDENIA XXL UL-C STEEL	29
GARDENIA XXL UL-C STONE	30
GARDENIA XXL UL-C CERAMICA	31
ROSA XXL UL-C STEEL	32
ROSA XXL UL-C STONE	33
ROSA XXL UL-C MAJOLICA	34
ALASKA UL-C	35

Accessories

LE CUCINOTTE	37
COOKING ACCESSORIES	38

ABOUT US

For over 50 years, we've brought warmth into homes.

Tradition and innovation Made in Italy, with over 200 high-tech solutions delivering warmth and safety in more than 50 countries worldwide.

There is work, and there is passion.

There is family, and there is a vision.

There is optimism, innovation, and the determination to evolve while remaining true to one's identity.

Every La Nordica-Extraflame product embodies all of this — and much more. This is well known to the many customers who, for over fifty years, have trusted a brand that has become synonymous with warmth, reliability, and safety. From the dream of brothers Silvano and Giannino Dal Zotto in the 1960s, a solid industrial reality was born — still led today by the same family, with a renewed spirit and a constant focus on the future.

We design and manufacture wood-burning and pellet stoves, cookers, fireplaces, and boilers with the same passion and dedication that have always defined us. Today, our range is further enriched by the new Lumen electric fireplace line. Over more than fifty years of history, we have reached over 50 countries worldwide, offering more than 200 Made in Italy products designed to generate domestic heat from renewable sources. A growth built on strong foundations of quality, design, technology, and respect for the environment, certified by the highest international standards.



Our history is the foundation of our future.

+200
Innovative products
 Over 200 products for domestic heating, with electric, wood-burning and pellet solutions in constant evolution.

5
Production facilities
 Five Made in Italy production sites, ensuring quality and a strong international presence.

+50
Countries worldwide
 An international sales network active in more than 50 countries.

7
Thematic classrooms
 Continuous training for technicians and sales professionals through seven specialized classrooms at the Training Center.



+400
Technical service centers in Europe

Over 400 qualified centers providing fast, up-to-date support, directly connected to Customer Service.



Lumen

Electric fireplaces

Discover our new flame, designed to enhance any space, even where it once seemed impossible.

Genuine Italian wood, installation without flues or complex systems, and advanced LED technology that recreates the authentic beauty of real fire, delivering a lifelike experience in perfect harmony with our tradition.

Adjustable flame settings, instant atmosphere, no chimney required, and a level of visual realism that transforms any room into a space of warmth and refined ambiance.



THE NEW FLAME THAT LIVES IN EVERY SPACE.

Our electric fireplaces are designed to integrate effortlessly into any environment, thanks to their exceptional installation versatility. They can be built directly into the wall for a seamless look or surface-mounted for a quicker, more practical solution, all without invasive structural work.

AVAILABLE CONFIGURATIONS

Available in three aesthetic configurations:

Panoramic, corner and frontal

Offering maximum design freedom and enhancing the flame from one or multiple perspectives, depending on the space and interior style.

AVAILABLE FINISHES

Our electric fireplaces are designed to adapt effortlessly to any environment, thanks to their exceptional installation versatility.



They can be seamlessly built into the wall for a clean, integrated look or surface-mounted for a faster, more practical solution, all without invasive structural work.

SMART CONTROL

Lumen can be easily controlled via remote control, dedicated app, or Alexa voice assistant.

Adjust flame intensity and speed across three levels, manage ventilation (Off, 1000 W, 2000 W), and customize ember and flame lighting. Save your favorite settings through the app or simply use voice commands with Alexa for effortless control of light, flame, and ventilation.

LUMEN 1200 INSTALLATION WITH ANTHRACITE FRAME




Anthracite



Stone



Chalk





LUMEN 870 UL-C

PRESTIGE
Line




3005746

AVAILABLE ACCESSORIES

FRAME KIT

Dimensions with Frame (W×H×D)	54 x 21 x 16 in
Frame Weight	33 lb



Anthracite
7023660



Stone
7023661



Chalk
7023662

TECHNICAL DATA

Heating Output (min-max)	0 - 2,0 kW
Dimensions (W×H×D)	34 x 18 x 13 in
Weight	82 lb
Power Consumption (heating OFF)	21 W
Ventilation	Frontal



Built-in Wi-Fi



Switchable Ventilation



Natural wood

FEATURES

FLAME REALISM

- Advanced LED technology that creates a stunningly realistic and immersive flame effect.
- Easily customize flame brightness and speed via remote control, Total Control 3.0 app, or Alexa voice commands.
- Adjustable flame and ember color tones (reds and yellows), with the option to disable them for a tailored visual experience.

EASY INSTALLATION

- True plug & play setup with no chimney or structural work required.
- Quick and convenient front access for easy inspection.

LASTING QUALITY

- Genuine Italian wood, handcrafted and treated with protective resin.
- Durable, high-quality materials designed for long-term performance.

THERMAL COMFORT

- Adjustable ventilation with three power levels: Off, 1000 W, 2000 W.
- Built-in timer function to schedule automatic on and off settings.
- Auto Mode for intelligent temperature control via room sensor, adapting to your preferred comfort level.



LUMEN 1200 UL-C


PRESTIGE
Line



3005747

AVAILABLE ACCESSORIES

Dimensions with Frame (W×H×D)	67 x 25 x 16 in
Frame Weight	42 lb



Anthracite
7023670



Stone
7023671



Chalk
7023672

TECHNICAL DATA

Heating Output (min-max)	0 - 2,0 kW
Dimensions (W×H×D)	47 x 22 x 13 in
Weight	119 lb
Power Consumption (heating OFF)	27 W
Ventilation	Frontal



Built-in Wi-Fi



Switchable Ventilation



Natural wood

FEATURES

FLAME REALISM

- Advanced LED technology that creates a stunningly realistic and immersive flame effect.
- Easily customize flame brightness and speed via remote control, Total Control 3.0 app, or Alexa voice commands.
- Adjustable flame and ember color tones (reds and yellows), with the option to disable them for a tailored visual experience.

EASY INSTALLATION

- True plug & play setup with no chimney or structural work required.
- Quick and convenient front access for easy inspection.

LASTING QUALITY

- Genuine Italian wood, handcrafted and treated with protective resin.
- Durable, high-quality materials designed for long-term performance.

THERMAL COMFORT

- Adjustable ventilation with three power levels: Off, 1000 W, 2000 W.
- Built-in timer function to schedule automatic on and off settings.
- Auto Mode for intelligent temperature control via room sensor, adapting to your preferred comfort level.



LUMEN 1600 UL-C

PRESTIGE
Line



3005748

AVAILABLE ACCESSORIES FRAME KIT

Dimensions with Frame (W×H×D)	83 x 25 x 16 in
Frame Weight	51 lb



Anthracite
7023680



Stone
7023681



Chalk
7023682



TECHNICAL DATA

Heating Output (min-max)	0 - 2,0 kW
Dimensions (W×H×D)	63 x 22 x 13 in
Weight	159 lb
Power Consumption (heating OFF)	32 W
Ventilation	Frontal



Built-in Wi-Fi



Switchable Ventilation



Natural wood

FEATURES

FLAME REALISM

- Advanced LED technology that creates a stunningly realistic and immersive flame effect.
- Easily customize flame brightness and speed via remote control, Total Control 3.0 app, or Alexa voice commands.
- Adjustable flame and ember color tones (reds and yellows), with the option to disable them for a tailored visual experience.

EASY INSTALLATION

- True plug & play setup with no chimney or structural work required.
- Quick and convenient front access for easy inspection.

LASTING QUALITY

- Genuine Italian wood, handcrafted and treated with protective resin.
- Durable, high-quality materials designed for long-term performance.

THERMAL COMFORT


- Adjustable ventilation with three power levels: Off, 1000 W, 2000 W.
- Built-in timer function to schedule automatic on and off settings.
- Auto Mode for intelligent temperature control via room sensor, adapting to your preferred comfort level.

Wood

Wood-burning products

The choice of solid, reliable materials, the balance of form, meticulous attention to construction details, and the highest standards of safety are the values that guide every project.

From this vision come La Nordica wood-burning products, a true expression of quality, tradition, and innovation.



LAVINIA UL-C

40,604 BTU/h 1,350 ft²

PRESTIGE
Line



CAST IRON CATALYTIC WOOD STOVE

Enamelled cast iron stove



Anthracite Black
3007441

STANDARD EQUIPMENT

Multi-Purpose operating tool

TECHNICAL DATA

Nominal power	40,604 BTU/h
Efficiency	85 %
Hourly consumption	7,1 lb/h
Dimensions (WxHxD)	29,8 x 29,7 x 27,0 inch
Net weight	595,2 lb
Flue outlet diameter and position	6 inch (T)
Hearth opening size (WxH)	17,7 x 8,3 inch
Hearth dimensions (WxHxD)	23,2 x 10,6 x 11,8 inch
Max. wood length	19,7 inch



Catalytic filter



BBC Direct outdoor air intake



Nordiker hearth



Cast iron ring

FEATURES

Extractable ash drawer	Stove made completely of enamelled cast-iron
Post-combustion system for low emissions	Thermometer
Adjustable primary and secondary air for better combustion management	Ash-saving tank
Ceramic glass	Side-loading door with retractable handle

ROSA REVERSE UL-C CERAMICA *

27,638 BTU/h 950 ft²



WOOD-BURNING COOKER

Majolica cladding



Liberty Bordeaux
7015316 *

Liberty Panna
7015325 *

*while stocks last

STANDARD EQUIPMENT

Enamelled backing tray 9.1x15.4 inch

Multi-Purpose operating tool

OPTIONAL

Chrome plated oven grill 9.2x15.0 inch

Enamelled backing tray 9.1x15.4 inch

Inox tank 4.5

TECHNICAL DATA

Nominal power	27,638 BTU/h
Efficiency	81,1 %
Hourly consumption	5 lb/h
Dimensions (WxHxD)	40,6 x 33,5 x 25,6 inch
Net weight	403,4 lb
Flue outlet diameter and position	6 inch (B/T)
Hearth opening size (WxH)	13,7 x 9,3 inch
Hearth dimensions (WxHxD)	14,7 x 11,4 x 12,6 inch
Oven Dim. (WxHxD)	9,6 x 11,8 x 15,1 inch
Oven capacity	7,5 gal
Max. wood length	8,7 inch



BBC Direct outdoor air intake

FEATURES

Top cooking plate and rings in polished cast-iron	Post-combustion system
Large cast-iron hearth	Large 7.5 gal oven
	Vitrified cast iron upper frame

ROSA SINISTRA REVERSE UL-C MAJOLICA

27,980 BTU/h 950 ft²



WOOD-BURNING COOKER

Majolica cladding



Liberty Panna
7015327

Liberty Bordeaux
7015317

STANDARD EQUIPMENT

Enamelled backing tray 9.1x15.4 inch

Multi-Purpose operating tool

OPTIONAL

Chrome plated oven grill 9.2x15.0 inch

Enamelled backing tray 9.1x15.4 inch

Inox tank 4.5

TECHNICAL DATA

Nominal power	27,980 BTU/h
Efficiency	86,5 %
Hourly consumption	5 lb/h
Dimensions (WxHxD)	40,6 x 33,5 x 25,6 inch
Net weight	403,4 lb
Flue outlet diameter and position	6 inch (B/T)
Hearth opening size (WxH)	13,7 x 9,3 inch
Hearth dimensions (WxHxD)	14,7 x 11,4 x 12,6 inch
Oven Dim. (WxHxD)	9,6 x 11,8 x 15,1 inch
Oven capacity	7,5 gal
Max. wood length	8,7 inch



FEATURES

Top cooking plate and rings in polished cast-iron	Post-combustion system
Large cast-iron hearth	Large 7.5 gal oven
	Vitrified cast iron upper frame

ROSA SINISTRA REVERSE UL-C STONE

27,980 BTU/h 950 ft²



WOOD-BURNING COOKER

Natural stone cladding



Natural Stone
7015309

STANDARD EQUIPMENT

Enamelled backing tray 9.1x15.4 inch

Multi-Purpose operating tool

OPTIONAL

Chrome plated oven grill 9.2x15.0 inch

Enamelled backing tray 9.1x15.4 inch

Inox tank 4.5

TECHNICAL DATA

Nominal power	27,980 BTU/h
Efficiency	86,5 %
Hourly consumption	5 lb/h
Dimensions (WxHxD)	40,6 x 33,5 x 25,6 inch
Net weight	441 lb
Flue outlet diameter and position	6 inch (B/T)
Hearth opening size (WxH)	13,7 x 9,3 inch
Hearth dimensions (WxHxD)	14,7 x 11,4 x 12,6 inch
Oven Dim. (WxHxD)	9,6 x 11,8 x 15,1 inch
Oven capacity	7,5 gal
Max. wood length	8,7 inch



FEATURES

Top cooking plate and rings in polished cast-iron	Post-combustion system
Large cast-iron hearth	Large 7.5 gal oven
	Vitrified cast iron upper frame

ROSA UL-C CERAMIC

28,662 BTU/h 1,050 ft²



WOOD-BURNING COOKER

Majolica cladding



Liberty Bordeaux
7015311

Liberty Panna
7015326

STANDARD EQUIPMENT

Enamelled backing tray 9.1x15.4 inch
Multi-Purpose operating tool

OPTIONAL

Chrome plated oven grill 11.7x15.0 inch
Enamelled backing tray 11.7x14.8 inch
Inox tank 4.5
High-adjustable grate
Additional ring for ventilation

TECHNICAL DATA

Nominal power	28,662 BTU/h
Efficiency	87 %
Hourly consumption	5 lb/h
Dimensions (WxHxD)	40,6 x 33,5 x 25,6 inch
Net weight	403,4 lb
Flue outlet diameter and position	6 inch (B/T)
Hearth opening size (WxH)	8,8 x 9,3 inch
Hearth dimensions (WxHxD)	10,6 x 12,6 x 14,3 inch
Oven Dim. (WxHxD)	13,0 x 11,8 x 16,1 inch
Oven capacity	10,8 gal
Max. wood length	11,8 inch



FEATURES

Top cooking plate and rings in polished cast-iron	Solid cast iron hearth
Wood drawer	Panoramic fire door with ceramic glass
	Large 10.8 gal oven

ROSA UL-C STONE

28,662 BTU/h 1,050 ft²



WOOD-BURNING COOKER

Natural stone cladding



Natural Stone
7015312

STANDARD EQUIPMENT

Enamelled backing tray 9.1x15.4 inch
Multi-Purpose operating tool

OPTIONAL

Chrome plated oven grill 11.7x15.0 inch
Enamelled backing tray 11.7x14.8 inch
Inox tank 4.5
High-adjustable grate
Additional ring for ventilation

TECHNICAL DATA

Nominal power	28,662 BTU/h
Efficiency	87 %
Hourly consumption	5 lb/h
Dimensions (WxHxD)	40,6 x 33,5 x 25,6 inch
Net weight	440,9 lb
Flue outlet diameter and position	6 inch (B/T)
Hearth opening size (WxH)	8,8 x 10,4 inch
Hearth dimensions (WxHxD)	10,6 x 12,6 x 14,3 inch
Oven Dim. (WxHxD)	13,0 x 11,8 x 16,1 inch
Oven capacity	10,8 gal
Max. wood length	11,8 inch



FEATURES

Top cooking plate and rings in polished cast-iron	Solid cast iron hearth
Wood drawer	Panoramic fire door with ceramic glass
	Large 10.8 gal oven

ROSA UL-C MAJOLICA

28,662 BTU/h 1,050 ft²



WOOD-BURNING COOKER

Majolica cladding



White Infinity
7015313

Bordeaux
7015314

Taupe
7015315

STANDARD EQUIPMENT

Enamelled backing tray 9.1x15.4 inch

Multi-Purpose operating tool

OPTIONAL

Chrome plated oven grill 11.7x15.0 inch

Enamelled backing tray 11.7x14.8 inch

Inox tank 4.5

High-adjustable grate

Additional ring for ventilation

TECHNICAL DATA

Nominal power	28,662 BTU/h
Efficiency	87 %
Hourly consumption	5 lb/h
Dimensions (WxHxD)	40,6 x 33,5 x 25,6 inch
Net weight	403,4 lb
Flue outlet diameter and position	6 inch (B/T)
Hearth opening size (WxH)	8,8 x 9,3 inch
Hearth dimensions (WxHxD)	10,6 x 12,6 x 14,3 inch
Oven Dim. (WxHxD)	13,0 x 11,8 x 16,1 inch
Oven capacity	10,8 gal
Max. wood length	11,8 inch



FEATURES

Top cooking plate and rings in polished cast-iron	Solid cast iron hearth
Wood drawer	Panoramic fire door with ceramic glass
	Large 10.8 gal oven

MILLY UL-C

29,686 BTU/h 1,000 ft²

*Top food warmer as optional



WOOD-BURNING COOKER

Enamelled steel and majolica finish



Bordeaux
7018005

White Infinity
7018006

STANDARD EQUIPMENT

Enamelled backing tray 15.2x16.8 inch

Chrome plated oven grill 16.8x16.1 inch

Multi-Purpose operating tool

Air fitting ventilation additional

OPTIONAL

Chrome plated oven grill 16.8x16.1 inch

Enamelled backing tray 15.2x16.8 inch

Food warmer 38.9x28.0x14.6 inch bordeaux

Food warmer 38.9x28.0x14.6 inch white infinity

TECHNICAL DATA

Nominal power	29,686 BTU/h
Efficiency	89 %
Hourly consumption	5,lb/h
Dimensions (WxHxD)	41,3 x 34,1 x 26,4 inch
Net weight	478,4 lb
Flue outlet diameter and position	6 inch (B/T)
Hearth opening size (WxH)	9,4 x 7,3 inch
Hearth dimensions (WxHxD)	10,6 x 11,3 x 17,9 inch
Oven Dim. (WxHxD)	17,2 x 16,5 x 16,9 inch
Oven capacity	20,6 gal
Max. wood length	11,8 inch



FEATURES

Enamelled cast iron doors, facade and frame	Adjustable primary and secondary air with a single register for better combustion management
20.6 gal enamelled oven	

ROSA L UL-C

27,638 BTU/h 1,000 ft²



WOOD-BURNING COOKER

Enamelled steel exterior finish



Anthracite Black
7015304

STANDARD EQUIPMENT

- Enamelled backing tray 11.7x14.8 inch
- Chrome plated oven grill 11.7x15.0 inch
- Multi-Purpose operating tool
- Kit 2 black tiles (3.9x3.9 inch)

OPTIONAL

- Enamelled backing tray 11.7x14.8 inch
- Ceramic glass top kit
- Chrome plated oven grill 11.7x15.0 inch
- Additional ring for ventilation

TECHNICAL DATA

Nominal power	27,638 BTU/h
Efficiency	84 %
Hourly consumption	4,4 lb/h
Dimensions (WxHxD)	38,4 x 33,9 x 26,4 inch
Net weight	423,3 lb
Flue outlet diameter and position	6 inch (B/T)
Hearth opening size (WxH)	8,9 x 8,3 inch
Hearth dimensions (WxHxD)	11,7 x 12,0 x 18,1 inch
Oven Dim. (WxHxD)	12,1 x 16,5 x 16,9 inch
Oven capacity	14,6 gal
Max. wood length	11,8 inch



Outdoor air intake



Cast iron rings

FEATURES

- Top cooking plate and rings in polished cast-iron
- Double glass fire door
- Refractory Hearth
- Wood drawer
- Large 14.6 gal oven
- Enamelled cast iron doors, facade and frame

GARDENIA UL-C STEEL

27,638 BTU/h 1,000 ft²



WOOD-BURNING COOKER

Cast iron and enamelled steel outer cladding



Anthracite Black
7015480

STANDARD EQUIPMENT

- Enamelled backing tray 11.7x14.8 inch
- Chrome plated oven grill 11.7x15.0 inch
- Multi-Purpose operating tool

OPTIONAL

- Enamelled backing tray 11.7x14.8 inch
- Chrome plated oven grill 11.7x15.0 inch

TECHNICAL DATA

Nominal power	27,638 BTU/h
Efficiency	84 %
Hourly consumption	5 lb/h
Dimensions (WxHxD)	37,4 x 34,0 x 27,7 inch
Net weight	434,3 lb
Flue outlet diameter and position	6 inch (B/T)
Hearth opening size (WxH)	8,9 x 8,3 inch
Hearth dimensions (WxHxD)	11,7 x 12,0 x 18,1 inch
Oven Dim. (WxHxD)	12,1 x 16,5 x 16,9 inch
Oven capacity	14,6 gal
Max. wood length	11,8 inch



Outdoor air intake



Cast iron rings

FEATURES

- Top cooking plate and rings in polished cast-iron
- Ash-collection tank and enamelled cast-iron feet
- Ventilated sides in enamelled steel or natural stone
- Enamelled cast iron front, frame and doors
- Hearth with refractory sides and cast iron bottom

GARDENIA UL-C STONE

27,638 BTU/h 1,000 ft²

PRESTIGE
Line



WOOD-BURNING COOKER

Natural stone cladding



Natural Stone
7015484

STANDARD EQUIPMENT

Enamelled backing tray 11.7x14.8 inch

Chrome plated oven grill 11.7x15.0 inch

Multi-Purpose operating tool

OPTIONAL

Enamelled backing tray 11.7x14.8 inch

Chrome plated oven grill 11.7x15.0 inch

TECHNICAL DATA

Nominal power	27,638 BTU/h
Efficiency	84 %
Hourly consumption	5 lb/h
Dimensions (WxHxD)	37,4 x 34,0 x 27,7 inch
Net weight	467,0 lb
Flue outlet diameter and position	6 inch (B/T)
Hearth opening size (WxH)	8,9 x 8,3 inch
Hearth dimensions (WxHxD)	11,7 x 12,0 x 18,1 inch
Oven Dim. (WxHxD)	12,1 x 16,5 x 16,9 inch
Oven capacity	14,6 gal
Max. wood length	11,8 inch



Outdoor air intake



Cast iron rings

FEATURES

Top cooking plate and rings in polished cast-iron

Ventilated sides in enamelled steel or natural stone

Hearth with refractory sides and cast iron bottom

Ash-collection tank and enamelled cast-iron feet

Enamelled cast iron front, frame and doors

GARDENIA XXL UL-C STEEL

29,003 BTU/h 1,000 ft²

PRESTIGE
Line



WOOD-BURNING STOVE WITH CAST IRON OVEN

Steel cladding



Anthracite Black
3007236

STANDARD EQUIPMENT

Enamelled backing tray 15.2x16.8 inch

Chrome plated oven grill 16.8x16.1 inch

Multi-Purpose operating tool

Kit easy pizza: Pizza stone + Oven peel

Air fitting ventilation additional (6 inch ring)

OPTIONAL

Enamelled backing tray 15.2x16.8 inch

Enamelled backing tray 15.2x11.6 inch (place on the grill)

Chrome plated oven grill 16.8x16.1 inch

Oven peel handle extension

TECHNICAL DATA

Nominal power	29,003 BTU/h
Efficiency	85 %
Hourly consumption	5 lb/h
Dimensions (WxHxD)	37,4 x 34,0 x 27,7 inch
Net weight	445 lb
Flue outlet diameter and position	4,4 inch (B/T)
Hearth opening size (WxH)	8,9 x 8,3 inch
Hearth dimensions (WxHxD)	11,7 x 12,0 x 18,1 inch
Oven Dim. (WxHxD)	17,2 x 16,1 x 17,2 inch
Oven capacity	20,6 gal
Max. wood length	11,8 inch



Outdoor air intake



Cast iron rings

FEATURES

Extractable ash drawer

Post-combustion system for low emissions

Adjustable primary and secondary air for better combustion management

Ceramic glass

Enamelled cast iron doors, facade and frame

Double glass fire door

Refractory Hearth

Ash-collection tank and enamelled cast-iron feet

Handrail in three parts

Cast iron oven with steam release valve and pull-out rails

GARDENIA XXL UL-C STONE

29,003 BTU/h 1,000 ft²

PRESTIGE
Line



WOOD-BURNING STOVE WITH CAST IRON OVEN

Natural stone cladding



Natural Stone
3007216

STANDARD EQUIPMENT

Enamelled backing tray 15.2x16.8 inch

Chrome plated oven grill 16.8x16.1 inch

Multi-Purpose operating tool

Kit easy pizza: Pizza stone + Oven peel

Air fitting ventilation additional (6 inch ring)

OPTIONAL

Enamelled backing tray 15.2x16.8 inch

Enamelled backing tray 15.2x11.6 inch (place on the grill)

Chrome plated oven grill 16.8x16.1 inch

Oven peel handle extension

TECHNICAL DATA

Nominal power	29,003 BTU/h
Efficiency	85 %
Hourly consumption	5 lb/h
Dimensions (WxHxD)	37,4 x 34,0 x 27,7 inch
Net weight	489 lb
Flue outlet diameter and position	4,4 inch (B/T)
Hearth opening size (WxH)	8,9 x 8,3 inch
Hearth dimensions (WxHxD)	11,7 x 12,0 x 18,1 inch
Oven Dim. (WxHxD)	17,2 x 16,1 x 17,2 inch
Oven capacity	20,6 gal
Max. wood length	11,8 inch



Outdoor air intake



Cast iron rings

FEATURES

Extractable ash drawer	Double glass fire door
Post-combustion system for low emissions	Refractory Hearth
Adjustable primary and secondary air for better combustion management	Ash-collection tank and enamelled cast-iron feet
Ceramic glass	Handrail in three parts
Enamelled cast iron doors, facade and frame	Cast iron oven with steam release valve and pull-out rails

GARDENIA XXL UL-C CERAMICA

29,003 BTU/h 1,000 ft²

PRESTIGE
Line

*Top food warmer as optional



WOOD-BURNING STOVE WITH CAST IRON OVEN

Ceramic exterior cladding



Bordeaux
3007206

White Infinity
3007207

STANDARD EQUIPMENT

Enamelled backing tray 15.2x16.8 inch

Chrome plated oven grill 16.8x16.1 inch

Multi-Purpose operating tool

Kit easy pizza: Pizza stone + Oven peel

Air fitting ventilation additional (6 inch ring)

OPTIONAL

Enamelled backing tray 15.2x11.6 inch

Enamelled backing tray 15.2x16.8 inch

Chrome plated oven grill 16.8x16.1 inch

Oven peel handle extension

Food warmer bordeaux 38.9x28.0x14.6 inch

Food warmer white infinity 38.9x28.0x14.6 inch

TECHNICAL DATA

Nominal power	34,121 BTU/h
Efficiency	86 %
Hourly consumption	4,4 lb/h
Dimensions (WxHxD)	37,4 x 34,0 x 27,7 inch
Net weight	445 lb
Flue outlet diameter and position	4,4 inch (B/T)
Hearth opening size (WxH)	8,9 x 8,3 inch
Hearth dimensions (WxHxD)	11,7 x 12,0 x 18,1 inch
Oven Dim. (WxHxD)	17,2 x 16,1 x 17,2 inch
Oven capacity	20,3 gal
Max. wood length	11,8 inch



Outdoor air intake



Cast iron rings

FEATURES

Extractable ash drawer	Refractory Hearth
Post-combustion system for low emissions	Ash-collection tank and enamelled cast-iron feet
Adjustable primary and secondary air for better combustion management	Enamelled cast iron front, frame and doors
Ceramic glass	Handrail in three parts
Double glass fire door	Cast iron oven with steam release valve and pull-out rails

ROSA XXL UL-C STEEL

29,003 BTU/h 1,000 ft²



WOOD-BURNING COOKER

Enamelled steel exterior finish



Anthracite Black
7015300

STANDARD EQUIPMENT

Enamelled backing tray 15.2x16.8 inch

Chrome plated oven grill 16.8x16.1 inch

Multi-Purpose operating tool

Kit 2 black tiles (3.9x3.9 inch)

OPTIONAL

Enamelled backing tray 15.2x16.8 inch

Chrome plated oven grill 16.8x16.1 inch

Additional ring for ventilation

TECHNICAL DATA

Nominal power	29,003 BTU/h
Efficiency	85 %
Hourly consumption	5 lb/h
Dimensions (WxHxD)	42,3 x 33,9 x 26,3 inch
Net weight	446 lb
Flue outlet diameter and position	6 inch (B/T)
Hearth opening size (WxH)	8,9 x 8,3 inch
Hearth dimensions (WxHxD)	11,7 x 12,0 x 18,1 inch
Oven Dim. (WxHxD)	17,2 x 16,5 x 16,9 inch
Oven capacity	20,6 gal
Max. wood length	11,8 inch



Outdoor air intake



Cast iron rings

FEATURES

Top cooking plate and rings in polished cast-iron	Double glass fire door
Wood drawer	20.6 gal enamelled oven
Enamelled cast iron doors, facade and frame	Refractory Hearth

ROSA XXL UL-C STONE

29,003 BTU/h 1,000 ft²



WOOD-BURNING COOKER

Natural stone cladding



Natural Stone
7015301

STANDARD EQUIPMENT

Enamelled backing tray 15.2x16.8 inch

Chrome plated oven grill 16.8x16.1 inch

Multi-Purpose operating tool

OPTIONAL

Enamelled backing tray 15.2x16.8 inch

Chrome plated oven grill 16.8x16.1 inch

Additional ring for ventilation

TECHNICAL DATA

Nominal power	29,003 BTU/h
Efficiency	85 %
Hourly consumption	5 lb/h
Dimensions (WxHxD)	42,3 x 33,9 x 26,3 inch
Net weight	446 lb
Flue outlet diameter and position	6 inch (B/T)
Hearth opening size (WxH)	8,9 x 8,3 inch
Hearth dimensions (WxHxD)	11,7 x 12,0 x 18,1 inch
Oven Dim. (WxHxD)	17,2 x 16,5 x 16,9 inch
Oven capacity	20,6 gal
Max. wood length	11,8 inch



Outdoor air intake



Cast iron rings

FEATURES

Top cooking plate and rings in polished cast-iron	Double glass fire door
Wood drawer	20.6 gal enamelled oven
Enamelled cast iron doors, facade and frame	Refractory Hearth

ROSA XXL UL-C MAJOLICA

29,003 BTU/h 1,000 ft²



WOOD-BURNING COOKER

Majolica cladding



White Infinity
7015302

Bordeaux
7015303

STANDARD EQUIPMENT

Enamelled backing tray 15.2x16.8 inch

Chrome plated oven grill 16.8x16.1 inch

Multi-Purpose operating tool

OPTIONAL

Chrome plated oven grill 16.8x16.1 inch

Enamelled backing tray 15.2x16.8 inch

Additional ring for ventilation

TECHNICAL DATA

Nominal power	29,003 BTU/h
Efficiency	85 %
Hourly consumption	5 lb/h
Dimensions (WxHxD)	42,3 x 33,9 x 26,3 inch
Net weight	518,1 lb
Flue outlet diameter and position	6 inch (B/T)
Hearth opening size (WxH)	8,9 x 8,3 inch
Hearth dimensions (WxHxD)	11,7 x 12,0 x 18,1 inch
Oven Dim. (WxHxD)	17,2 x 16,5 x 16,9 inch
Oven capacity	20,6 gal
Max. wood length	11,8 inch



Outdoor air intake



Cast iron rings

FEATURES

Top cooking plate and rings in polished cast-iron

Double glass fire door

20.6 gal enamelled oven

Wood drawer

Refractory Hearth

Enamelled cast iron doors, facade and frame

ALASKA UL-C

40,946 BTU/h 1,370 ft²



WOOD-BURNING COOKER

Enamelled cast iron outer cladding



Glazed Black
7016055

STANDARD EQUIPMENT

Enamelled backing tray 15.2x16.8 inch

Chrome plated oven grill 16.8x16.1 inch

Multi-Purpose operating tool

Additional ring for ventilation air fitting

OPTIONAL

Chrome plated oven grill 16.8x16.1 inch

Enamelled backing tray 15.2x16.8 inch

Enamelled backing tray 15.2x11.6 inch (place on the grid)

Alaska chrome handrail KIT

Stainless steel grill

TECHNICAL DATA

Nominal power	40,946 BTU/h
Efficiency	88,6 %
Hourly consumption	7,1 lb/h
Dimensions (WxHxD)	51,5 x 33,9 x 27,8 inch
Net weight	771,6 lb
Flue outlet diameter and position	6 inch (B/T)
Hearth opening size (WxH)	15,9 x 10,9 inch
Hearth dimensions (WxHxD)	15,7 x 13,4 x 18,1 inch
Oven Dim. (WxHxD)	17,1 x 16,5 x 16,9 inch
Oven capacity	20,6 gal
Max. wood length	11,8 inch



Nordiker hearth



Direct outdoor air intake



Cast iron rings

FEATURES

Extractable ash drawer

Extractable drawer for wood (or objects)

Height-adjustable cast iron fire grate

adjustable primary and secondary air, pre-calibrated tertiary air

Large plate size (^39.3 inch) for simultaneous cooking of several foods

Large (20.6 gal) enamelled oven with anti-steam valve and removable rails

Le Cucinotte



THE PERFECT PARTNER IN THE KITCHEN

La Nordica Cucinotte are more than cookware, they embody tradition, authenticity, and the joy of sharing. With timeless design and modern cooking performance, each cocotte reflects our commitment to quality and attention to detail.

The glass-based enamel finish enhances both beauty and versatility, ideal for cooking and food storage.

PERFECT COOKING, ANYWHERE

Suitable for all cooktops, including induction, Cucinotte ensure even, controlled cooking at any temperature. Elegant and functional, they are also perfect for serving at the table, keeping dishes warm or cold with style.



Oven




Grill



Electric hob



Ceramic glass hob



Gas hob



Induction hob



Radiant ring hob

Wood-burning Stove accessories

THE IDEAL SOLUTION TO SIMPLIFY INSTALLATION AND USE

To meet the needs of even the most demanding customers, we have expanded our catalog with a range of essential accessories designed to enhance performance and ease of use.

THE RANGE

Available in different shapes and sizes to suit every culinary need.



ROUND

ø 9.4 inch / 1.1 gal

7019000



ROUND

ø 11 inch / 1.6 gal

7019005



OVAL

ø 11.4 inch / 1.1 gal

7019010




OVAL

ø 13 inch / 1.6 gal

7019015

Check compatibility on our website.



STAINLESS STEEL GRILL

Stainless steel grill
2-module dishwasher-safe stainless steel grid.
Available for - Alaska

CHROME PLATED OVEN GRILL

Chrome plated oven grill 9.2x15.0 inch



Chrome plated oven grill 16.8x16.1 inch

Chrome plated oven grill 11.7x15.0 inch

ENAMELLED BACKING TRAY

Enamelled backing tray 11.7x14.8 inch



Enamelled backing tray 15.2x16.8 inch

Enamelled backing tray 15.2x11.6 inch

Enamelled backing tray 9.1x15.4 inch

RING



Additional ring for ventilation 4.7inch

INOX TANK



Inox tank 4.5



OVEN PEEL

Oven peel



OVEN PEEL HANDLE EXTENSION

Oven peel handle extension



MOBILE GRILLE KIT ROSA/ROSETTE

Mobile grill kit Rosa



ALASKA CHROME HANDRAIL KIT

Alaska chrome handrail KIT
Chrome-plated handrail kit for Alaska kitchen



CERAMIC GLASS TOP KIT FOR VERONA XXL - ROSA L

Ceramic glass top kit
Ceramic glass cooktop kit - Rosa L



FOOD WARMER

Food warmer 38.9x28.0x14.6 inch
Available for: Milly, Gardenia XXL Ceramic



Food warmer 38.9x28.0x14.6 inch
Available for: Milly, Gardenia XXL Ceramic

NOTE

- Due to printing reasons the reproduction of colours has to be considered only indicative.
- Facing tones and characteristics are subject to slight variations because they are natural products.
- The manufacturer reserves the right to change the products without any previous notice.
- Before the purchase, ask your reseller all the information regarding the appliance. One must also bear in mind all laws and national, regional, provincial and town council Standards present in the country in which the appliance has been installed, as well as the instructions contained in this manual.
- The images contained in this document are for product illustration purposes only and do not represent indications for the performance or technical characteristics of the same.
- The data in the catalogue can be rounded off to the first decimal.
- The majolicas (if present) are the result of high-quality artisan work. As they are completely carried out by hand, the majolica may present crackles, speckles, and shadings. These characteristics certify their precious origin. Enamel and majolica, due to their different coefficient of dilatation, produce microcrackles, which show their authentic feature.
- The stone claddings are natural materials and as such are subject to aesthetic or chromatic variations between a piece and the other, these features represent the beauty and uniqueness of the product and cannot be considered defects.
- Interim document and subject to changes

CERTIFICATES

The La Nordica appliances of the UL-C series are solid-fuel, i.e. wood, cookstoves specifically designed to fulfill all the safety requirements required by the market. In particular, these products have been certified to the test standards UL 1482 and ULC S627 for the US and Canadian markets, respectively. Installation compliance is given by following the requirements of the test standards together with the national installation codes for each country.

LEGEND

BTU/h: Nominal thermal power (BTU/h) - sqft: Heatable ft² - %: Efficiency (%) - lb/h: Hourly consumption (lb/h) - Ø inch: Smoke outlet diameter (inch) T = Top, B = Back, RH side = Right side, LH side = Left side - Dim. WxHxD: Dimensions WxHxD (inch) - lb: Net weight (lb)



LA NORDICA S.P.A

Via Summano, 104 36030 Montecchio Precalcino - Vicenza - Italy
Tel. +39 0445 804000
info@lanordica.com

EXTRAFLAME S.P.A

Via dell'Artigianato, 12 36030 Montecchio Precalcino - Vicenza - Italy
Tel. +39 0445 865911
info@extraflame.it

www.lanordica-extraflame.com

9300351-000

